



Our Product. Your Solution.

Main European Applications for Trucks and Buses



02/2023

MANN-FILTER - Perfect parts. Perfect service.

Product Portfolio

In addition to air, oil, fuel and cabin filters, our portfolio also includes special products for a complete line, far beyond the conventional!


Special Applications



To know our line of Urea filters, Air dryers, Refrigeration and Centrifugal, scan the below QR Code:



Discover the filters installed in the truck:



- 1 Air filter primary element
- 2 Air filter secondary element
- 3 Engine oil filter
- 4 Fuel filter element
- 5 Fuel filter / water-separator
- 6 Hydraulic filter
- 7 Urea filter
- 8 Air dryer filter
- 9 Hydraulic transmission filter
- 10 Centrifugal filter
- 11 Cabin air filter

Remember to: Always change the oil filter and the other filters as well.

+ WHY MAKE THE CHANGE?

+ Clogged oil filter reduces the service life of the engine.

The saturated (clogged) filter allows circulation of dirty oil, shortening the lifespan of the engine and its components. That's why when changing the oil, also change the oil filter.



WHY MANN-FILTER? ✓

✓ The MANN-FILTER oil filter enhances the longevity of your engine.

Our MANN-FILTER filter media are built to meet the future-facing technical requirements of high-performance engines. We use a non-return membrane that keeps the engine oil in the filter as soon as the engine stops. This offers an optimized and even faster oil supply on start-up.

+ Dirty air filter increases fuel consumption.

The air filter protects the engine against ingress of dust and other particles. In addition, the dirty air filter increases fuel consumption and emission of pollutants.



✓ The MANN-FILTER air filter improves engine performance and efficiency.

The MANN-FILTER air filter has unique papers, even folds and perfect sealing that protect the engine against ingress of dust.

+ Saturated fuel filter will cause engine to lose power or fail to start.

The fuel filter prevents dirt from entering the engine, clogging the injector unit or burning the fuel pump. That's why it is critical to check the filter regularly.




✓ The MANN-FILTER fuel filter generates savings.

The MANN-FILTER fuel filter offers high performance and economy. With greater filtration capacity, it produces better engine performance.

+ Clogged cabin air filter causes breathing problems.

The cabin air filter retains pollutants, dust and mites that cause severe breathing problems. That's why it has to be changed periodically.



✓ The MANN-FILTER cabin air filter protects health.

The MANN-FILTER cabin air filter retains the smallest particles of air dust, protecting health of the vehicle's occupant, in addition to eliminating unpleasant odors.

Applications

DAF

| Model | Engine | Air | Oil | Fuel | Cabin | Air Dryer | Others |
|--------------------------------|-------------|--|---|---|------------------------------------|--|---|
| 65CF (1998-2000) | NS Series | C 25 950/1 | W 962/8 | WDK 940/5 | | TB 1364 x | Hydraulic steering H 601/4 |
| | | | | | | With coalescing filter for enhanced system protection TB 1394/6 x | |
| | | | | | | Gradual drying+optim. Oil separation for best protection TB 1396/6 x | |
| 95XF (1999-2002) | XE-C Series | To chassis no. E490600 C 29 1420/2 | W 13 145/6 | WDK 925 | CU 3132 | TB 1374/13 x | Hydraulic steering H 601/4 |
| | | From chassis no. E490601 C 29 1366/1 | Rotor for oil centrifuge ZR 903 x | Water-separator WK 845/10 | Biofunctional filter FP 3132 | With coalescing filter for enhanced system protection TB 1394/16 x | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) H 710/1 x |
| | | | | Prefilter, use for OE 1683353/1438836, vehicles with hand feed pump PU 51 z | | Gradual drying+optim. Oil separation for best protection TB 1396 x | |
| | | | | Prefilter, 05/02-> PL 420 x | | | |
| CF65 (2001>) | CE Type | C 27 998/3 | W 950/39 | WK 950/21 | --04/06 CU 4228 | TB 1364 x | Hydraulic steering H 601/4 |
| | | | | Water-separator WK 9047 | 05/06-> CU 2534 | With coalescing filter for enhanced system protection TB 1394/6 x | Urea Filter, 07/06->, system Euro 4/5/EEV U 620/3 y KIT |
| | | | | Water-separator, for sytem Parker-Racor WK 1060/3 x | Activated carbon, 05/06-> CUK 2534 | Gradual drying+optim. Oil separation for best protection TB 1396/6 x | |
| CF65 (2006>) | GR Type | Filteration system Donaldson C 26 025 | W 950/39 | WK 950/21 | CU 2534 | TB 1364 x | Hydraulic steering H 601/4 |
| | | Filteration system MANN+HUMMEL C 27 1170/6 | | Water-separator WK 9047 | Activated carbon CUK 2534 | With coalescing filter for enhanced system protection TB 1394/6 x | Urea Filter, 07/06->, system Euro 4/5/EEV U 620/3 y KIT |
| | | Air filter for urea system C 811 | | Water-separator, for sytem Parker-Racor WK 1060/3 x | | Gradual drying+optim. Oil separation for best protection TB 1396/6 x | |
| CF75 (2001>) | PE Series | Filteration system MANN+HUMMEL C 27 998/3 | Height 150 mm HU 1270 x | Long-life Filter, height 250 mm PU 966/2 x | --04/06 CU 4228 | TB 1364 x | Hydraulic steering H 601/4 |
| | | Filteration system Donaldson C 29 1366/1 | Long-life Filter, height 220 mm HU 1297 x | Height 205 mm PU 999/2 x | 05/06-> CU 2534 | | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) H 710/1 x |
| | | | Rotor for oil centrifuge ZR 903 x | Water-separator WK 845/10 | Activated carbon, 05/06-> CUK 2534 | | Urea Filter, 05/06->, system Euro 4/5/EEV U 620/3 y KIT |
| | | | | Water-separator, for sytem Parker-Racor WK 1060/3 x | | | |
| | | | | Prefilter, 05/02-> PL 420 x | | | |
| CF75 (2006>) (EURO 4/5/EEV) | PR Series | C 27 998/5 | Height 150 mm HU 1270 x | PU 966/1 x | 05/06-> CU 2534 | TB 1364 x | Hydraulic steering H 601/4 |
| | | Air filter for urea system C 811 | Long-life Filter, height 220 mm HU 1297 x | Water-separator WK 845/10 | Activated carbon, 05/06-> CUK 2534 | | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) H 710/1 x |
| | | | | Water-separator, for sytem Parker-Racor WK 1060/3 x | | | Urea Filter, 05/06->, system Euro 4/5/EEV U 620/3 y KIT |
| | | | | Prefilter PL 420 x | | | |
| CF85 (2001>) | XE Type | Filteration system MANN+HUMMEL C 27 1170/6 | Height 150 mm HU 1270 x | Height 205 mm PU 966/2 x | CU 2534 | TB 1364 x | Hydraulic steering H 601/4 |
| | | Filteration system Donaldson C 29 1366/1 | Long-life Filter, height 220 mm HU 1297 x | Long-life Filter, height 250 mm PU 999/2 x | Activated carbon CUK 2534 | With coalescing filter for enhanced system protection TB1394/6 x | Hydraulic steering, height 150 mm H 623 |
| | | | Rotor for oil centrifuge ZR 903 x | Water-separator WK 845/10 | | Gradual drying+optim. Oil separation for best protection TB 1396/6 x | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) H 710/1 x |
| | | | | Water-separator, for sytem Parker-Racor WK 1060/3 x | | | Urea Filter, 05/06->, system Euro 4/5/EEV U 620/3 y KIT |
| | | | | Prefilter, 05/02-> PL 420 x | | | |
| CF85 (2006>) (EURO 4/5/EEV) | MX Series | C 27 1170/6 | HU 12 103 x | PU 966/1 x | CU 2534 | TB 1364 x | Hydraulic steering H 601/4 |
| | | Air filter for urea system C 811 | Rotor for oil centrifuge ZR 905 z | Water-separator WK 845/10 | Activated carbon CUK 2534 | With coalescing filter for enhanced system protection TB 1394/6 x | Hydraulic steering, height 150 mm H 623 |
| | | | | Water-separator, for sytem Parker-Racor WK 1060/3 x | | Gradual drying+optim. Oil separation for best protection TB 1396/6 x | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) H 710/1 x |
| | | | | Prefilter PL 420 x | | | Urea Filter U 620/3 y KIT |
| | | | | | | Coolant Filter WA 9002 | |

| Model | Engine | Air | Oil | Fuel | Cabin | Air Dryer | Others |
|---------------------------------|------------------------------|--------------------------------------|--|---|---|--|---|
| CF86 (2013>) | MX11 (EURO6) MX13 (EURO6) | Engine code MX11 (Euro6) C 27 998/5 | Engine code MX11 (Euro6) HU 11 003 y | Long-life Filter, height 290 mm PU 10 009 z | --06/15 CU 2534 | Air-Brake system Knorr, thread size M39 x 1.5 TB 1394/13 x | Hydraulic steering H 601/4 |
| | | Engine code MX13 (Euro6) C 27 1170/6 | Engine code MX13 (Euro6) HU 12 103 x | Prefilter PL 420 x | Activated carbon, --06/15 CUK 2534 | Air-Brake system Knorr, thread size M41 x 1.5 TB 1394/6 x | Hydraulic steering, height 150 mm H 623 |
| | | | Rotor for oil centrifuge for Engine code MX11 (Euro6) ZR 9007 | | Activated carbon, 07/15-> CUK 26 018 | Air-Brake system Knorr, thread size M41 x 1.5 TB 1396/6 x | Urea Filter for AdBlue Denoxtronic 2.2 U 5001 KIT |
| | | | Rotor for oil centrifuge for Engine code MX13 (Euro6) ZR 905 z | | Models with exhaust gas recirculation CU 16 003-2 | | Urea Filter for EcoFit UL2 U 58/9 KIT |
| LF45 & LF55 (2001>) | CE Type | Height 372 mm C 22 478/1 | W 950/39 | WK 950/21 | --07/10 CU 2303 | TB 1364 x | Hydraulic steering H 601/4 |
| | | Height 417 mm C 22 580/1 | | Water-separator WK 9047 | 08/10-> CU 22 017 | With coalescing filter for enhanced system TB 1394/6 x protection | Urea Filter, 07/06->, system Euro 4/5/EEV U 620/3 y KIT |
| | | | | | | Gradual drying+optim. Oil separation for best protection TB 1396/6 x | |
| LF45 & LF55 (2006>) | FR & GR Type | C 26 025 | W 950/39 | --12/09 WK 950/21 | --07/10 CU 2303 | TB 1364 x | Hydraulic steering H 601/4 |
| | | Air filter for urea system C 811 | | 01/10-> WK 929 x | 01/10-> CU 22 017 | With coalescing filter for enhanced system TB 1394/6 x protection | Urea Filter U 620/3 y KIT |
| | | | | Water-separator, use for OE no. 1814637 WK 10 017 x | | Gradual drying+optim. Oil separation for best protection TB 1396/6 x | |
| | | | | Water-separator, use for OE no. 1618993 WK 9010 | | | |
| LF46 & LF56 (2014>) | PX5 PX7 | C 26 025 | W 950/39 | Water-separator WK 10 017 x | CU 22 017 | TB 1364 x | Hydraulic steering H 601/4 |
| | | | | | | With coalescing filter for enhanced system TB 1394/6 x protection | Urea Filter U 5001 KIT |
| | | | | | | Gradual drying+optim. Oil separation for best protection TB 1396/6 x | |
| XF95 (2002>) | XE Type | C 29 1366/1 | Long-life filter, height 220 mm HU 1297 x | Long-life Filter, height 250 mm PU 966/2 x | CU 3132 | TB 1364 x | Hydraulic steering H 601/4 |
| | | | Height 150 mm HU 1270 x | Height 205 mm PU 999/2 x | Biofunctional filter FP 3132 | With coalescing filter for enhanced system TB 1394/6 x protection | |
| | | | Rotor for oil centrifuge ZR 903 x | Water-separator, for sytem Parker-Racor WK 1060/3 x | | Gradual drying+optim. Oil separation for best protection TB 1396/6 x | |
| | | | | Prefilter PL 420 x | | | |
| XF105 (2006>) (EURO 4/5/EEV) | MX Series | --06/11 C 28 028 | HU 12 103 x | PU 966/1 x | CU 3132 | Gradual drying+optim. Oil separation for best protection TB 1396/6 x | Hydraulic steering H 601/4 |
| | | 07/11-> C 26 024 KIT | Rotor for oil centrifuge ZR 905 z | Water-separator, for sytem Parker-Racor WK 1060/3 x | Biofunctional filter FP 3132 | | Hydraulic steering, height 150 mm H 623 |
| | | Air filter for urea system C 811 | | Prefilter PL 420 x | | | Urea Filter U 620/3 y KIT |
| | | | | | | | Coolant Filter WA 9002 |
| XF106 (2013>) | MX13 (EURO6) | C 26 024 KIT | HU 12 103 x | Prefilter PL 420 x | --06/15 CU 3132 | Air-Brake system Knorr, thread size M39 x 1.5 TB 1394/13 x | Hydraulic steering H 601/4 |
| | | | Rotor for oil centrifuge ZR 905 z | | Biofunctional filter --06/15 FP 3132 | Air-Brake system Knorr, thread size M41 x 1.5 TB 1394/6 x | Hydraulic steering, height 150 mm H 623 |
| | | | | | Activated carbon 07/15-> CUK 33 001 | Air-Brake system Knorr, thread size M41 x 1.5 TB 1396/6 x | Urea Filter for AdBlue Denoxtronic 2.2 U 5001 KIT |
| | | | | | Models with exhaust gas recirculation CU 16 003-2 | | Urea Filter for EcoFit UL2 U 58/9 KIT |

Applications

IVECO

| Model | Engine | Air | | Oil | | Fuel | | Cabin | Air Dryer | Others |
|--|--|---|-------------|--------------------------|----------|-------------------------------|-------------|----------------------|--|---|
| EUROCARGO I (<2003) | Tector | Height 334 mm | C 25 660/2 | | W 950/26 | | WK 950/21 | | TB 1374 x | Hydraulic steering H 601/4 |
| | | Height 415 mm, models with precleaner | C 24 745/3 | | | Prefilter | WK 950/6 | | TB 1396 x | Crankcase breather C 911 x-2 |
| EUROCARGO II (2003-2008) | Tector 4 Tector 6 | Filteration system MANN+HUMMEL | C 25 660/2 | | W 950/26 | | WK 950/21 | | TB 1374 x | Crankcase breather, >12/06 C 911 x-2 |
| | | Filteration system MANN+HUMMEL | C 25 860/6 | | | Prefilter | WK 950/6 | | With coalescing filter for enhanced system protection TB 1394/1 x | Urea Filter for AdBlue Denoxtronic 2 U 1002 |
| | | | | | | Prefilter | WK 950/19 | | Gradual drying+optim. Oil separation for best protection TB 1396 x | Urea Prefilter for AdBlue Denoxtronic 2 U 1005 |
| | | | | | | | | | | Urea Filter, 05/06->, for AdBlue Denoxtronic 1 U 620/2 y KIT |
| EUROCARGO III (2008->) | Tector 4 F4A Tector 6 F4A Tector 7 F4A | Engine code Tector 7 F4A, height 187 mm | CP 34 360 | | W 950/26 | | WK 950/21 | | TB 1374 x | Urea Prefilter for AdBlue Denoxtronic 1 U 1002 |
| | | | | | | Prefilter | WK 950/19 | | TB 1394/1 x | Urea Prefilter for AdBlue Denoxtronic 2 U 1005 |
| | | | | | | Engine code Tector 7 F4A | WK 9056 | | TB 1396 x | Urea Filter, 05/06->, for AdBlue Denoxtronic 1 U 620/2 y KIT |
| | | | | | | | | | | Urea Filter, 05/06->, for AdBlue Denoxtronic 2 U 630 x KIT |
| | | | | | | | | | | Urea Filter, 01/14-> for AdBlue Denoxtronic 2.2 U 5001 KIT |
| EUROCARGO IV (2015->) | Tector 5 F4A/ FE411 Tector 7 F4A/ FE611 | Height 187 mm | CP 34 360 | | W 950/26 | | WK 950/19 | | TB 1374 x | Urea Filter U 5001 KIT |
| | | | | | | | WK 9056 | | With coalescing filter for enhanced system protection TB 1394/1 x | |
| | | | | | | | WK 950/19 | | Gradual drying+optim. Oil separation for best protection TB1396 x | |
| | | | | | | Prefilter, Racor system | WK 1070 x | | | |
| EUROTECH (440E40) (2000-2002) | Cursor 13 (E0681) | | C 30 850/7 | | W 1170/7 | | WK 1149 | CU 4466 | TB 1374 x | Hydraulic steering H 601/4 |
| | | Air filter for VGT Turbo Charger | C 777/7 | | | Prefilter | WK 950/6 | | With coalescing filter for enhanced system protection TB 1394/1 x | Hydraulic steering, use for OE no. 1907641 H 615 |
| | | | | | | | | | Gradual drying+optim. Oil separation for best protection TB 1396 x | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) H 710/1 x |
| | | | | | | | | | | Crankcase breather C 27 016 |
| EUROTRAKKER (1998-2004) | 8210.42 | | C 30 850/2 | | WP 1169 | Prefilter | WK 950/6 | CU 4466 | TB 1374 x | Hydraulic steering H 601/4 |
| | | High capacity filter | C 30 850/6 | | | | WK 724 | | With coalescing filter for enhanced system protection TB 1394/1 x | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) H 710/1 x |
| | | Height 621 mm | C 33 920/5 | | | | | | Gradual drying+optim. Oil separation for best protection TB 1396 x | Coolant Filter WA 940/1 |
| | | Air filter for VGT Turbo Charger | C 777/7 | | | | | | | |
| | | | | | | | | | | |
| EUROTRAKKER (2001-2004) | Cursor 13 | Height 515 mm | C 33 1600/2 | | W 1170/7 | | WK 1149 | CU 4466 | TB 1374 x | Hydraulic steering H 601/4 |
| | | Height 483 mm | C 33 1465/1 | | | Prefilter | WK 950/6 | | With coalescing filter for enhanced system protection TB 1394/1 x | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) H 710/1 x |
| | | Secondary Filter | CF 2100/1 | | | | | | Gradual drying+optim. Oil separation for best protection TB 1396 x | Crankcase breather C 27 016 |
| | | Air filter for VGT Turbo Charger | C 777/7 | | | | | | | Coolant Filter WA 940/1 |
| DAILY III TURBO HPT/ HPI (2.3 HPT/HPI) (02-06) | F1A | | C 17 337/2 | Up to engine no. 240 403 | W 940/62 | | WK 854/2 | CU 2956 | | Hydraulic steering H 601/4 |
| | | | | From engine no. 240 404 | W 914/28 | | | Activated carbon | CUK 2956 | |
| DAILY III TURBO HPT/ HPI (3.0 HPT/HPI) (04-06) | F1C E0481B | | C 17 337/2 | | W 950/36 | | WK 854/2 | CU 2956 | | Hydraulic steering H 601/4 |
| | | | | | | | | Activated carbon | CUK 2956 | |
| DAILY IV 3.0 HPI EEV (2009->) | F1CE34 81LC | ->09/11 | C 17 337/2 | | W 940/69 | | PU 9002/1 z | CU 2952 | | Hydraulic steering H 601/4 |
| | | Panel air filter, 10/11-> | C 40 002 | | | ->09/11 | WK 939/14 x | Activated carbon | CUK 2952 | Crankcase breather LC 9005 |
| | | | | | | 10/11->, use for OE 500054702 | PU 7004 z | Biofunctional filter | FP 2952 | |

| Model | Engine | Air | Oil | Fuel | Cabin | Air Dryer | Others | |
|--|--|--|--|---|--|--|---|---|
| STRALIS / ECOSTRALIS / STRALIS HI-ROAD / HI-STREET / HI-WAY (2013->) | Cursor 9 (F2CF E611) Cursor 11 (F3G/ F3H) | Series Hi-Road + Hi-Steet C 32 1420/2 | HU 12 008 x | Engine code Cursor 9 PU 10 020 x | With A/C system CU 4594 | TB 1374 x | Hydraulic steering H 601/4 | |
| | | Series Hi-Way C 32 004 | | Engine code Cursor 11 PU 10 013 z | Activated carbon, with A/C system CUK 4594 | With coalescing filter for enhanced system protection TB 1394/1 x | Height 150 mm H 623 | |
| | | Metal housing C 33 920/5 | | Water-separator WK 11 023 z | Biofunctional filter, with A/C system FP 4594 | Gradual drying+optim. Oil separation for best protection TB 1396 x | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) H 710/1 x | |
| | | Air filter for VGT Turbo Charger C 77/7 | | | | | | Crankcase breather LC 19 001 |
| | | | | | | | | Crankcase breather, engine code Cursor 11 C 18 016 |
| | | | | | | | | Urea Filter, for AdBlue Denoxtronic 1 U 620/2 y KIT |
| | | | | | | | | Urea Filter, for AdBlue Denoxtronic 2 U 630 x KIT |
| | | | | | | | | Urea Prefilter for AdBlue Denoxtronic 1 U 1002 |
| | | | | | | Urea Filter for AdBlue Denoxtronic 2 U 1005 | | |
| STRALIS / ECOSTRALIS / STRALIS HI-ROAD / HI-STREET / HI-WAY (2002->) | Cursor 13 (F3B /F3H/ F3BE 0681) | ->09/04 C 33 1600/2 | ->05/07 W 1170/7 | WK 1149 | With A/C system CU 4594 | TB 1374 x | Hydraulic steering H 601/4 | |
| | | Series Hi-Road + Hi-Steet C 32 1420/2 | 06/07->, use for OE 5801592277 HU 11 002 x | Emission standard Euro 6 PU 10 013 z | Activated carbon, with A/C system CUK 4594 | With coalescing filter for enhanced system protection TB 1394/1 x | Height 150 mm H 623 | |
| | | Series Hi-Way C 32 004 | Plastic housing with element, 06/07-> W 13 004 | Emission standard EEV/ Euro 4/ Euro 5 WDK 940/7 | Biofunctional filter, with A/C system FP 4594 | Gradual drying+optim. Oil separation for best protection TB 1396 x | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) H 710/1 x | |
| | | Metal housing C 33 920/5 | | Prefilter, ->12/03 WK 950/6 | | | Crankcase breather, from engine no. 16792, use for OE 5801856860, Euro 6 C 18 016 | |
| | | Air filter for VGT Turbo Charger C 77/7 | | Prefilter, 01/04-> WK 950/19 | | | Crankcase breather, EEV/ Euro 4/ Euro 5 C 27 016 | |
| | | | | Water-separator WK 11 023 z | | | Urea Filter, for AdBlue Denoxtronic 2.2 U 5001 KIT | |
| | | | | Water-separator, height 158 mm WK 1070 x | | | Urea Filter, for AdBlue Denoxtronic 1 U 620/2 y KIT | |
| | | | | Water-separator, height 218 mm WK 11 016 z | | | Urea Filter, for AdBlue Denoxtronic 2 U 630 x KIT | |
| | | | | | | | Urea Prefilter for AdBlue Denoxtronic 1 U 1002 | |
| | | | | | Urea Filter for AdBlue Denoxtronic 2 U 1005 | | | |
| TRAKKER (2013->) | Cursor 9 (F2CF E611) | C 32 1420/2 | HU 12 008 x | PU 10 020 x | With A/C system CU 4594 | TB 1374 x | Hydraulic steering H 601/4 | |
| | | Air filter for VGT Turbo Charger C 77/7 | | Water-separator WK 11 023 z | Activated carbon, with A/C system CUK 4594 | With coalescing filter for enhanced system protection TB 1394/1 x | Height 150 mm H 623 | |
| | | | | | Biofunctional filter, with A/C system FP 4594 | Gradual drying+optim. Oil separation for best protection TB 1396 x | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) H 710/1 x | |
| | | | | | | | Crankcase breather, from engine no. 16792, use for OE 5801856860, Euro 6 C 18 016 | |
| | | | | | | | Crankcase breather LC 19 001 | |
| | | | | | | | Urea Filter, for AdBlue Denoxtronic 1 U 620/2 y KIT | |
| | | | | | | | Urea Filter, for AdBlue Denoxtronic 2 U 630 x KIT | |
| | | | | | | | Urea Filter, for AdBlue Denoxtronic 2.2 U 5001 KIT | |
| | | | | | Urea Prefilter for AdBlue Denoxtronic 1 U 1002 | | | |
| | | | | | Urea Filter for AdBlue Denoxtronic 2 U 1005 | | | |
| TRAKKER (2004->) | Cursor 8 Cursor 13 | C 32 1420/2 | ->05/07 W 1170/7 | WDK 962/16 | With A/C system CU 4594 | TB 1374 x | Hydraulic steering H 601/4 | |
| | | Metal housing C 33 920/5 | 06/07->, use for OE 5801592277 HU 11 002 x | Emission standard Euro 6 PU 10 013 z | Activated carbon, with A/C system CUK 4594 | With coalescing filter for enhanced system protection TB 1394/1 x | Height 150 mm H 623 | |
| | | Engine code F3BEE681 C 33 1465/1 | Plastic housing with element, 06/07-> W 13 004 | Long-life filter WDK 940/7 | Biofunctional filter, with A/C system FP 4594 | Gradual drying+optim. Oil separation for best protection TB 1396 x | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) H 710/1 x | |
| | | Secondary filter, engine code F3BEE681 CF 2100/1 | Up to engine no. 24950 HU 12 008 x | Water-separator, height: 158 mm WK 1070 x | | | Crankcase breather C 27 016 | |
| | | Secondary filter CF 1810/1 | From engine no. 24951 HU 12 013 z | Water-separator, height: 218 mm WK 11 016 z | | | Crankcase breather, from engine no. 16792, use for OE 5801856860, Euro 6 C 18 016 | |
| | | Air filter for VGT Turbo Charger C 77/7 | | Prefilter WK 950/19 | | | Urea Filter, for AdBlue Denoxtronic 1 U 620/2 y KIT | |
| | | | | | | | Urea Filter, for AdBlue Denoxtronic 2 U 630 x KIT | |
| | | | | | | | Urea Filter, 11/13->, for AdBlue Denoxtronic 2.2 U 5001 KIT | |
| | | | | | | | Urea Prefilter, 04/06->, for AdBlue Denoxtronic 1 U 1002 | |
| | | | | | Urea Prefilter, 04/06->, for AdBlue Denoxtronic 2 U 1005 | | | |

Applications

MAN

| Model | Engine | Air | | Oil | Fuel | | Cabin | | Air Dryer | | Others | | | |
|---|----------------------------|------------------|-------------|---------------|--|-------------|----------------------|------------------|-----------|--|--|---|---|---------------|
| FE Series (F2000 Evolution) (2000->) | D2866 / D2876 | Primary Filter | C 30 1353 | HU 1381 x | Water-separator, system SEPAR 2000 | PU 911 | | CU 40 110 | | TB 1374/13 x | Hydraulic steering | H 601/4 | | |
| | | Secondary Filter | C 17 170 | | Water-separator, system SEPAR 2000 with integrated heating | PU 910 | | | | With coalescing filter for enhanced system protection | TB 1394/16 | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) | H 710/1 x | |
| | | | | | | WDK 725 | | | | Gradual drying+optim. Oil separation for best protection | TB 1396 x | | | |
| LE (2000-2007) | D0824/ D0836 | | C 25 730/1 | W 1160 | | WDK 725 | Series L2000 | CU 37 230 | | TB 1374/13 x | Hydraulic steering | H 601/4 | | |
| | | | | | Water-separator, system SEPAR 2000 | PU 88 | Series M2000 | CU 40 110 | | With coalescing filter for enhanced system protection | TB 1394/16 x | | | |
| | | | | | Water-separator, system SEPAR 2000, (Bio-diesel) | PU 89 | | | | Gradual drying+optim. Oil separation for best protection | TB 1396 x | | | |
| | | | | | Prefilter, use for OE 51.12503-0050 | PU 50 z | | | | | | | | |
| L2000 (2001->) | D0836/ D0834 | | C 25 730/1 | W 1160 | | WDK 725 | | CU 37 230 | | TB 1374/13 x | Hydraulic steering | H 601/4 | | |
| | | | | | Water-separator, system SEPAR 2000 | PU 88 | | | | With coalescing filter for enhanced system protection | TB 1394/16 x | | | |
| | | | | | Water-separator, system SEPAR 2000, (Bio-diesel) | PU 89 | | | | Gradual drying+optim. Oil separation for best protection | TB 1396 x | | | |
| | | | | | Prefilter, use for OE 51.12503-0050 | PU 50 z | | | | | | | | |
| TGA (2002->) | D0836 | Primary Filter | C 27 1250/1 | HU 951 x | | PU 850 x | | | CU 4795 | | With coalescing filter for enhanced system protection | TB 1394/16 x | Hydraulic steering | H 601/4 |
| | | Secondary Filter | CF 1640 | | | Prefilter | PU 50 z | Activated carbon | CUK 4795 | | Gradual drying+optim. Oil separation for best protection | TB 1396 x | Hydraulic steering, ZF 8098 | P 919/7 |
| | | | | | Water-separator, system SEPAR 2000 | PU 911 | Biofunctional filter | FP 4795 | | | | | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) | H 710/1 x |
| | | | | | Water-separator, system SEPAR 2000 with integrated heating | PU 910 | | | | | | | | |
| TGA (2000->) | D2066 / D2866/ D2876 | Primary Filter | C 27 1250/1 | HU 13 125/3 x | | PU 1059 x | | | CU 4795 | | With coalescing filter for enhanced system protection | TB 1394/16 x | Hydraulic steering | H 601/4 |
| | | Secondary Filter | CF 1640 | | Housing 51.12501-6006 | PU 10 035 z | Activated carbon | CUK 4795 | | Gradual drying+optim. Oil separation for best protection | TB 1396 x | Hydraulic steering, ZF 8098 | P 919/7 | |
| | | | | | Engine code D0836/ D2876 | PU 850 x | Biofunctional filter | FP 4795 | | | | | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) | H 710/1 x |
| | | | | | Engine code D2866/ D2876 | PU 855 x | | | | | | | Urea Filter, prefilter, 05/06->, EEV/Euro 5 | U 1003 |
| | | | | | Prefilter | PU 50 z | | | | | | | Urea Filter, 05/06->, EEV/Euro 5 | U 620/4 y KIT |
| | | | | | Water-separator, system SEPAR 2000 | PU 911 | | | | | | | | |
| | | | | | Water-separator, system SEPAR 2000 with integrated heating | PU 910 | | | | | | | | |
| TG660A (2002->) | D2840 | | C 27 1170 | HU 947/2 x | | PU 855 x | | | CU 4795 | | With coalescing filter for enhanced system protection | TB 1394/16 x | Hydraulic steering | H 601/4 |
| | | | C 27 1250/1 | | | Prefilter | PU 50 z | Activated carbon | CUK 4795 | | Gradual drying+optim. Oil separation for best protection | TB 1396 x | Hydraulic steering, ZF 8098 | P 919/7 |
| | | Secondary Filter | CF 1640 | | Water-separator, system SEPAR 2000 | PU 911 | Biofunctional filter | FP 4795 | | | | | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) | H 710/1 x |
| | | | | | Water-separator, system SEPAR 2000 with integrated heating | PU 910 | | | | | | | Urea Filter, prefilter, 05/06->, EEV/Euro 5 | U 1003 |
| | | | | | | | | | | | | | Urea Filter, 05/06->, EEV/Euro 5 | U 620/4 y KIT |

| Model | Engine | Air | Oil | Fuel | Cabin | Air Dryer | Others |
|----------------------|-----------------|---|---|--|---------------------------------|--|--|
| TGL & TGM (2005>) | D0834/ D0836 | Filtration system MANN+HUMMEL C 23 513/1 NLG Pico | HU 951 x | PU 1059 x | CJ 4795 | With coalescing filter for enhanced system protection | TB 1394/16 x Hydraulic steering H 601/4 |
| | | Filtration system MANN+HUMMEL C 24 745/2 NLG Pico | | Housing MAN 51.12501-6006 PU 10 035 z | Activated carbon CUK 4795 | Gradual drying+optim. Oil separation for best protection | TB 1396 x Urea Filter, prefilter, 09/12->, Euro 6 U 1003 |
| | | Filtration system Mahle LPO7210 C 26 1005 | | Water-separator, 09/12-> WK 11 029 z | Biofunctional filter FP 4795 | | Urea Filter, 09/12->, Euro 6 U 620/4 y KIT |
| | | 09/12->Filtration system MANN+HUMMEL C 25 860/8 NLG Pico | | Water-separator, system SEPAR 2000 PU 88 | | | |
| | | Filtration system Mahle LSA, 09/12-> C 62 001 | | Water-separator, system SEPAR 2000, (Bio-diesel) PU 89 | | | |
| | | | | Prefilter, use for OE 51.12503-0050 PU 50 z | | | |
| TGX & TGS (2007>) | D2066/ D2676 | Primary Filter,06/16-> C 27 1250/1 | Filtration system Hengst, EEV/Euro 4/5 HU 13 125/3 x | PU 1059 x | CJ 4795 | With coalescing filter for enhanced system protection | TB 1394/16 x Hydraulic steering H 601/4 |
| | | Secondary Filter, 06/16-> CF 1640 | Filtration system MANN-HUMMEL, 09/12- >,Euro 6 HU 1291/1 z | For extremely cold climates PU 10 021 z | Activated carbon CUK 4795 | Gradual drying+optim. Oil separation for best protection | TB 1396 x Height 150 mm H 623 |
| | | Primary Filter,07/16-> C 27 038 | | Housing MAN 51.12501-6006 PU 10 035 z | Biofunctional filter FP 4795 | | Hydraulic transmission Filter, 07/16->, (Gearbox code TipMatic 12+2 GRS905) W 9023/1 |
| | | Secondary Filter, 07/16-> CF 16 002 | | Water-separator, 09/12-> WK 11 029 z | | | Hydraulic transmission Filter (Gearbox code ZF Ecosplit + Intarder) H 710/1 x |
| | | 09/12-06/16 C 27 023 | | Prefilter PU 50 z | | | Hydraulics, 07/16->, system R3500/4100 H 929/3 (TipMatic 12+2) |
| | | Primary Filter,07/16->, vehicles for building site C 27 038 | | Water-separator, system SEPAR 2000 with integrated heating PU 910 | | | Urea Filter, prefilter, 10/07->, Euro 5/6 U 1003 |
| | | | | | | | Urea Filter, 10/07->, Euro 5/6 U 620/4 y KIT |
| TGX (2014>) | D3876 | Primary Filter C 27 1250/1 | HU 12 003 x | PU 10 022 z | CJ 4795 | With coalescing filter for enhanced system protection | TB 1394/16 x Hydraulic steering H 601/4 |
| | | Secondary Filter CF 1640 | | Water-separator WK 11 029 z | Activated carbon CUK 4795 | Gradual drying+optim. Oil separation for best protection | TB 1396 x Height 150 mm H 623 |
| | | CF 16 002 | | Prefilter PU 50 z | Biofunctional filter FP 4795 | | Hydraulic transmission Filter, 07/16->, (Gearbox code TipMatic 12+2 GRS905) W 9023/1 |
| | | Vehicles for building site C 27 023 | | | | | Hydraulic transmission Filter (Gearbox code ZF16S + Intarder) H 710/1 x |
| | | Vehicles for building site C 27 038/1 | | | | | Hydraulics, 07/16->, system R3500/4100 H 929/3 (TipMatic 12+2) |
| | | | | | | | Urea Filter, prefilter, 10/07->, Euro 5/6 U 1003 |
| | | | | | | | Urea Filter, 10/07->, Euro 5/6 U 620/4 y KIT |

Applications

MERCEDES-BENZ

| Model | Engine | Air | | Oil | | Fuel | | Cabin | | Air Dryer | | Others | |
|--|--------------------|---------------------------------|--------------|--|--------------|--|--|--------------------------------------|--------------|--|--------------|---|------------|
| ACTROS I (<2003) | OM 541LA | Height 263 mm | C 42 1404 | | HU 12 140 x | | PU 999/1 x | | CU 3869 | | TB 1374/13 x | Hydraulic steering | H 601/4 |
| | | Height 317 mm | C 42 1729 | Secondary flow | PFU 19 226 x | Prefilter | PU 51 z | Activated carbon | CUK 3823 | With coalescing filter for enhanced system protection | TB 1394/16 x | Hydraulic steering, height 150 mm | H 623 |
| | | Height 406 mm | C 29 1219/1 | | | Water-separator, for sytem Parker-Racor | WK 1080/7 x | Vehicles for building site | CU 3855 | Gradual drying+optim. Oil separation for best protection | TB 1396 x | Hydraulic steering, auxiliary drive | H 613 x |
| | | Panel Filter | C 64 1500/1 | | | | WK 1080/6 x | | | | | Crankcase breather, up to engine 265 303 | C 716 x |
| | | | | | | Water-separator, for sytem Parker-Racor (Bio-diesel fuel) | | | | | | | |
| ACTROS I MP2/ MP3 (+ BlueTec 4/5) (2003>) | OM 541LA | | C 27 1320/3 | | HU 12 140 x | | PU 999/1 x | | CU 3869 | | TB 1394/16 x | Hydraulic steering | H 601/4 |
| | | Panel Filter | C 64 1500/1 | | | Water-separator, for sytem Parker-Racor | WK 1080/7 x | Vehicles for building site | CU 3855 | Gradual drying+optim. Oil separation for best protection | TB 1396 x | Hydraulic steering, height 150 mm | H 623 |
| | | Filter with housing cover | C 40 006 | | | Water-separator, for sytem Parker-Racor (Bio-diesel fuel) | WK 1080/6 x | Activated carbon | CUK 3823 | | | Hydraulic steering, auxiliary drive | H 613 x |
| | | Optional Urea tank 145 Liter | C 33 1840 | | | Prefilter | PU 51 z | | | | | Crankcase breather, up to engine 265 303 | C 716 x |
| | | | | | | | Additionally, use for OE A 000 090 19 51 | P 54 x | | | | Urea Filter (for serie/ series BlueTec 4/5 EEV) | U 58/1 KIT |
| ACTROS II MP4 (BlueTec 5/6/ EEV) (2011>), ANTOS (2012>) (BlueTec 5/6/ EEV), AROCS (2013>) (BlueTec 5/6/ EEV) | OM 936LA, OM 470LA | Height 210 mm, front air intake | C 49 002 | For engine code OM936LA | HU 9003 z | Secondary fine filter, for engine code OM470.910/913 | PU 12 030-2 z | ->8/15 | CU 32 001 | ->09/14, for Air-brake system Knorr + Wabco | TB 1394/16 x | Hydraulic steering | H 601/4 |
| | | Long-life Filter, Height 263 mm | C 50 004/1 | For engine code OM470LA | HU 12 006 z | For engine code OM470.906 | PU 12 001-2 z | Activated carbon ->8/15 | CUK 32 001 | 10/14->, for Air-Brake system Knorr EAC2 | TB 1394/8 x | Hydraulic steering, height 150 mm | H 623 |
| | | Height 198 mm | C 50 005 | | | For engine code OM470.910/913 | PU 12 002-2 z | Biofunctional filter ->8/15 | FP 32 001 | ->09/14, for Air-Brake system Knorr + Wabco Gradual drying+optim. Oil separation for best protection | TB 1396 x | Urea Filter | U 58/9 KIT |
| | | | | | | Secondary fine filter | PU 834/2 x | For dusty environments ->8/15 | CU 32 002 | | | | |
| | | | | | | Water-separator | PL 420/7 x | 09/15-> | CU 32 011/1 | | | | |
| | | | | | | Water-separator | PL 603/1 x | Activated carbon 09/15 | CUK 32 011/1 | | | | |
| | | | | | | Ventilation fuel tank 10/14-> | C 5001 | For dusty environments 09/15-> | CU 32 012/1 | | | | |
| | | | | | | | | Optional, parking A/C | CU 2218 | | | | |
| ACTROS II MP4 (BlueTec 5/6/ EEV) (2011>), ANTOS (BlueTec 5/6/EEV) (2012>), AROCS (BlueTec 5/6/ EEV) (2013>) | OM 471LA, OM 473LA | Height 210 mm, front air intake | C 49 002 | Use for OE A 473 180 01 12 / A 473 180 02 12 | HU 12 001 Z | For filtration sytem Parker-Racor | PU 11 005-3 z | ->8/15 | CU 32 001 | ->09/14, for Air-brake system Knorr + Wabco | TB 1394/16 x | Hydraulic steering | H 601/4 |
| | | Long-life Filter, Height 263 mm | C 50 004/1 | | | Secondary fine filter | PU 12 002-2 z | Activated carbon ->8/15 | CUK 32 001 | 10/14->, for Air-Brake system Knorr EAC2 | TB 1394/8 x | Hydraulic steering, height 150 mm | H 623 |
| | | Height 198 mm | C 50 005 | | | Water-separator | PL 420/7 x | Biofunctional filter ->8/15 | FP 32 001 | ->09/14, for Air-Brake system Knorr + Wabco Gradual drying+optim. Oil separation for best protection | TB 1396 x | Urea Filter | U 58/9 KIT |
| | | | | | | Water-separator | PL 603/1 x | 09/15-> | CU 32 011/1 | | | | |
| | | | | | | Ventilation fuel tank 10/14-> | C 5001 | Activated carbon 09/15 | CUK 32 011/1 | | | | |
| | | | | | | | | For dusty environments ->8/15 | CU 32 002 | | | | |
| | | | | | | | | For dusty environments 09/15-> | CU 32 012/1 | | | | |
| | | | | | | | | Optional, parking A/C | CU 2218 | | | | |
| ATEGO I (<2004) | OM 904LA, OM 906LA | | C 29 010 | Engine code OM904LA | HU 931/5 x | | PU 1076/1 x | | CU 5877 | | TB 1374/13 x | Hydraulic steering | H 601/4 |
| | | With re-usable housing cover | C 29 010 KIT | Engine code OM906LA | HU 945/2 x | Water-separator, for system Parker-Racor | WK 1080/7 x | Activated carbon | CUK 5877 | With coalescing filter for enhanced system protection | TB 1394/16 x | | |
| | | | | | | Water-separator, for system Parker-Racor (Bio-diesel fuel) | WK 1080/6 x | For dusty environments | CU 5809 | Gradual drying+optim. Oil separation for best protection | TN 1396 x | | |
| | | | | | | Prefilter | PU 51 x | Series 950/952/953 | CU 4469 | | | | |
| | | | | | | | | Activated carbon, series 950/952/953 | CUK 4469 | | | | |
| | | | | | | For dusty environments, series 950/952/953 | CU 4408 | | | | | | |

MERCEDES-BENZ

| Model | Engine | Air | Oil | Fuel | Cabin | Air Dryer | Others |
|---|--------------|--|---------------------------------|--|---|---|--|
| ATEGO II (2004->) (+ BLUJETEC 4/5/EEV) | OM 904LA | C 29 010 | Engine code OM904LA HU 931/5 x | PU 1046/1 x | CU 5877 | TB 1394/16 x | Hydraulic steering H 601/4 |
| | | With re-usable housing cover C 29 010 KIT | Engine code OM906LA HU 945/2 x | Water-separator, for system Parker-Racor WK 1080/7 x | Activated carbon CUK 5877 | Gradual drying+optim. Oil separation for best protection TB 1396 x | Urea Filter U 58/1 KIT |
| | OM 906LA | | | Water-separator, for system Parker-Racor (Bio-diesel fuel) WK 1080/6 x | For dusty environments CU 5809 | | |
| | | | | Prefilter PU 51 x | | | |
| ATEGO III (2013->) | OM 934LA, | C 29 010 | Engine code OM934LA HU 9007 z | Secondary fine filter PU 834/2 x | CU 5877 | ->09/14, to chassis number WDB967...L905886, Air-Brake system Knorr + Wabco TB 1394/16 x | Hydraulic steering H 601/4 |
| | | With re-usable housing cover C 29 010 KIT | Engine code OM936LA HU 9003 z | Prefilter PU 30/1 x | Activated carbon CUK 5877 | 10/14->, from chassis number WDB967...L905887, Air-Brake system Knorr EAC2 TB 1394/8 x | Urea Filter U 58/9 KIT |
| | OM 936LA | | | Maintenance kit (PU 834/2 x + PU 30/1 x) | For dusty environments CU 5809 | ->09/14, to chassis number WDB967...L905886, for Air-Brake system Knorr + Wabco, Gradual drying+optim. Oil separation for best protection TB 1396 x | |
| | | | | Ventilation tank C 5001 | | | |
| | | | | Water-separator PL 420/7 x | | | |
| | | | | Water-separator PL 603/1 x | | | |
| | | | | | | | |
| AXOR II (2004->) (+ BlueTec 4/5) | OM 406LA | C 27 1320/3 | Engine code OM906LA HU 945/2 x | Engine code OM457LA PU 999/1 x | CU 4469 | TB 1394/16 x | Hydraulic steering H 601/4 |
| | | With re-usable housing cover, from VIN-Code K823577/B950029 C 40 006 | Engine code OM457LA HU 12 110 x | Water-separator, for system Parker-Racor WK 1080/7 x | Activated carbon CUK 4469 | Gradual drying+optim. Oil separation for best protection TB 1396 x | Urea Filter, 09/05->, Emission standard: EEV/Euro 4/Euro 5, Serie/series BluTec 4/5/EEV U 58/1 KIT |
| | OM 457LA | Vehicles for building site, models with precleaner C 64 1500/1 | | Water-separator, for system Parker-Racor (Bio-diesel fuel) WK 1080/6 x | For dusty environments CU 4408 | | |
| | | | | Prefilter PU 51 z | | | |
| SPRINTER 616 CDI (2001-2006) | OM612 | C 32 338 | HU 718/1 k | WK 842/17 | CU 3858 | TB 719 | Hydraulic Transmission Filter (gearbox code 722.600-722.699) H 182 KIT |
| | | For dusty environments C 32 338/1 | | WK 842/13 | Activated carbon, with air-conditioning system CUK 3858 | | |
| | | | | With connection for water suction WK 842/20 | | | |
| | | | | With water-sensor connection WK 842/23 x | | | |

Applications

SCANIA

| Model | Engine | Air | Oil | Fuel | Cabin | Air Dryer | Others |
|-----------------------------------|----------------------|---|---|--|---|--|--|
| G440 (2010>) | DC13 | Use for OE 1869991 CF 17 007 | HU 1077/2 x | Maintenance kit PU 10 003-2 x | CU 37 001 | With coalescing filter for enhanced system protection TB 1394/3 x | Hydraulic steering H 601/4 |
| | | Vehicles for building site, housing 1506545 C 27 1340 1506546 1506547 | Maintenance kit, centrifuge ZR 12 001 z | Maintenance kit, Bio-diesel PU 10 016-2 z | Activated carbon CUK 37 001 | Air-Brake system Haldex TB 15 001 z KIT | Hydraulic Transmission Filter, manual gearbox W 9023/1 |
| | | ->12/08, use for OE 1421022 C 30 1240 | | Water-separator, height 220 mm WK 1080/6 x | Biofunctional filter FP 37 001 | Gradual drying+optim. Oil separation for best protection TB 1396/3 x | Urea Filter U 58/9 KIT |
| | | ->12/08, use for OE 1728667 C 30 1240/1 | | | | | Hydraulics H 929/3 y |
| | | 01/09->, use for OE 1869992 C 31 017 | | | | | Urea Filter, Euro 5/EEV U 620/2 y KIT |
| | | 01/09->, use for OE 1869993 C 31 014 | | | | | Urea Filter, Euro 6 U 58/9 KIT |
| | | Use for OE 1869990 CF 17 006 | | | | | |
| | | 01/09->, use for OE 1869994, flame retardant media C 31 018 | | | | | |
| | | 01/09->, use for OE 1869995, flame retardant media C 31 016 | | | | | |
| Filtration system Mahle C 31 1254 | | | | | | | |
| P280 (2007>) | DC9 EURO5/ EEV | ->12/08, use for OE 1421022 C 30 1240 | HU 1077/2 x | Maintenance kit PU 10 003-2 x | 10/07-> CU 37 001 | With coalescing filter for enhanced system protection TB 1394/3 x | Hydraulic steering H 601/4 |
| | | ->12/08, use for OE 1728667, flame retardant media C 30 1240/1 | Maintenance kit, centrifuge ZR 12 001 z | Maintenance kit, Bio-diesel PU 10 016-2 z | Activated carbon, 01/11-> CUK 37 001 | Air-Brake system Haldex TB 15 001 z KIT | Hydraulic Transmission Filter, manual gearbox W 9023/1 |
| | | 01/09->, use for OE 1869992 C 31 017 | | | Biofunctional filter, 01/11-> FP 37 001 | Gradual drying+optim. Oil separation for best protection TB 1396/3 x | Hydraulics H 929/3 y |
| | | 01/09->, use for OE 1869993 C 31 014 | | | | | Urea Filter, Euro 5/EEV U 620/2 y KIT |
| | | 01/09->, use for OE 1869994, flame retardant media C 31 018 | | | | | Urea Filter, Euro 6 U 58/9 KIT |
| | | 01/09->, use for OE 1869995, flame retardant media C 31 016 | | | | | |
| | | Filtration system Mahle C 31 1254 | | | | | |
| | | Vehicles for building site, housing 1506545 C 27 1340 1506546 1506547 | | | | | |
| | | Use for OE 1869990 CF 17 006 | | | | | |
| Use for OE 1869991 CF 17 007 | | | | | | | |

| Model | Engine | Air | Oil | Fuel | Cabin | Air Dryer | Others |
|---------------------------------|------------------------|--|--|---|--|---|---|
| R230 (2005>) | DC9 EURO4 | ->12/08, use for OE 1421022 C 30 1240 | W 11 102/37 | PU 941/1 x | ->09/07 CU 1722 | With coalescing filter for enhanced system protection, Air-Brake system Wabco TB 1394/3 x | Hydraulic steering H 601/4 |
| | | ->12/08, use for OE 1421022, flame retardant media C 30 1240/1 | Maintenance kit, centrifuge ZR 12 001 z | Water-separator, height 220 mm WK 1080/6 x | ->10/07 CU 37 001 | Air-Brake system Haldex TB 15 001 z KIT | Hydraulic Transmission Filter, manual gearbox W 9023/1 |
| | | 01/09->, use for OE 1869992 C 31 017 | | | Activated carbon, 01/11-> CUK 37 001 | Gradual drying+optim. Oil separation for best protection, Air-Brake system Wabco TB 1396/3 x | Hydraulics H 929/3 y |
| | | 01/09->, use for OE 1869993 C 31 014 | | | Biofunctional filter, 10/13-> FP 37 001 | | Urea Filter U 620/2 y KIT |
| | | 01/09->, use for OE 1869994, flame retardant media C 31 018 | | | | | Urea Filter, 10/13->, Euro 6 U 58/9 KIT |
| | | 01/09->, use for OE 1869995, flame retardant media C 31 016 | | | | | |
| | | Filtration system Mahle C 31 1254 | | | | | |
| | | Vehicles for building site, housing 1506545 1506546 1506547 C 27 1340 | | | | | |
| | | Use for OE 1869990 CF 17 006 | | | | | |
| Use for OE 1869991 CF 17 007 | | | | | | | |
| R480 (2006>) | DT12 EURO4 | ->12/08, use for OE 1421022 C 30 1240 | W 11 102/37 | PU 941/1 x | ->09/07 CU 1722 | With coalescing filter for enhanced system protection, Air-Brake system Wabco TB 1394/3 x | Hydraulic steering H 601/4 |
| | | ->12/08, use for OE 1421022, flame retardant media C 30 1240/1 | Maintenance kit, centrifuge ZR 12 001 z | Water-separator, height 220 mm WK 1080/6 x | ->10/07 CU 37 001 | Air-Brake system Haldex TB 15 001 z KIT | Hydraulic Transmission Filter, manual gearbox W 9023/1 |
| | | 01/09->, use for OE 1869992 C 31 017 | | | Activated carbon, 01/11-> CUK 37 001 | Gradual drying+optim. Oil separation for best protection, Air-Brake system Wabco TB 1396/3 x | Hydraulics H 929/3 y |
| | | 01/09->, use for OE 1869993 C 31 014 | | | Biofunctional filter, 10/13-> FP 37 001 | | Urea Filter U 620/2 y KIT |
| | | 01/09->, use for OE 1869994, flame retardant media C 31 018 | | | | | Urea Filter, 10/13->, Euro 6 U 58/9 KIT |
| | | 01/09->, use for OE 1869995, flame retardant media C 31 016 | | | | | |
| | | Filtration system Mahle C 31 1254 | | | | | |
| | | Vehicles for building site, housing 1506545 1506546 1506547 C 27 1340 | | | | | |
| | | Use for OE 1869990 CF 17 006 | | | | | |
| Use for OE 1869991 CF 17 007 | | | | | | | |
| R620 (2006>) | DC16 EURO4 | ->03/09 C 30 1500 | HU 1072 x | PU 941 x | ->09/07 CU 1722 | With coalescing filter for enhanced system protection, Air-Brake system Wabco TB 1394/3 x | Hydraulic steering H 601/4 |
| | | ->03/09, flame retardant media C 30 1500/1 | | Water-separator, height 220 mm WK 1080/6 x | ->10/07 CU 37 001 | Air-Brake system Haldex TB 15 001 z KIT | Hydraulic Transmission Filter, manual gearbox W 9023/1 |
| | | ->03/09 CF 1720 | | | Activated carbon, 01/11-> CUK 37 001 | Gradual drying+optim. Oil separation for best protection, Air-Brake system Wabco TB 1396/3 x | Hydraulics H 929/3 y |
| | | 04/09-> C 31 017 | | | Biofunctional filter, 10/13-> FP 37 001 | | Urea Filter U 620/2 y KIT |
| | | 04/09->, flame retardant media C 31 018 | | | | | Urea Filter, 10/13->, Euro 6 U 58/9 KIT |
| | | 04/09-> CF 17 006 | | | | | |
| | | Filtration system Mahle C 31 1495 | | | | | |
| R730 (2010>) | DC16 EURO5 6/EEV | C 31 017 | HU 1072 x | Maintenance kit PU 10 003-2 x | CU 37 001 | With coalescing filter for enhanced system protection, Air-Brake system Wabco TB 1394/3 x | Hydraulic steering H 601/4 |
| | | CF 17 006 | | Maintenance kit, Bio-diesel PU 10 016-2 z | Activated carbon, 01/11-> CUK 37 001 | Air-Brake system Haldex TB 15 001 z KIT | Hydraulic Transmission Filter, manual gearbox W 9023/1 |
| | | Flame retardant media C 31 018 | | Water-separator, height 220 mm WK 1080/6 x | Biofunctional filter, 10/13-> FP 37 001 | Gradual drying+optim. Oil separation for best protection, Air-Brake system Wabco TB 1396/3 x | Hydraulics H 929/3 y |
| | | | | | | | Urea Filter, Euro 5/EEV U 620/2 y KIT |
| | | | | | | | Urea Filter, Euro 6 U 58/9 KIT |

Applications

VOLVO

| Model | Engine | Air | Oil | Fuel | Cabin | Air Dryer | Others |
|-----------------------------|---------------|---------------------|-------------|---|--------------------------------|---|---|
| FE II (2006->) | D7E/F | Primary C 25 003 | HU 1390 x | Fuel element PU 1058 x | CU 2101 | ASP (Air System Protector) TB 1394/17 X | Hydraulic steering Filter H 601/4 |
| | | Primary C 32 1752/1 | | Water-separator WK 1040/1 x | | ASP PLUS(Air System Protector PLUS) TB 1396/5 X | Urea Filter (Prefilter) U 1005 |
| | | Secondary CF 18 202 | | Fuel tank (opt.) C 52/1 | | | Urea Filter U 630 X KIT |
| | | Primary C 31 1410 | | | | | |
| | | Secondary CF 1800 | | | | | |
| FE III (2013->) | D8K | Primary C 25 003 | H 11 006 Z | Fuel element PU 9015 z | CU 2101 | ASP (Air System Protector) TB 1394/17 X | Hydraulic steering Filter H 601/4 |
| | | C 31 1410 | | Water-separator WK 11 038 Z | | ASP PLUS(Air System Protector PLUS) TB 1396/5 X | Hydraulic Transmission filter (Gearbox code HU 721 Y I-Shift AT2412E) |
| | | | | | | | Hydraulic Transmission filter (Gearbox code AL306 Allison) HD 932-2 X |
| | | | | | | | Urea Filter U 5001 KIT |
| FH12 (2001-2005) | D12D | Primary C 34 1500/1 | W 11 102/36 | WDK 11 102/28 | CU 2184 | ASP PLUS(Air System Protector PLUS) TB 1396 X | Hydraulic steering Filter H 601/4 |
| | | Secondary CF 2000/1 | W 11 025 | Long life version WDK 11 102/24 | Activated carbon CUK 2184 | | Hydraulic steering Filter H 615 |
| | | | WP 11 102/3 | Water-separator WK 940/33 x | Biofunctional filter FP 2184 | | Hydraulic Transmission filter (Gearbox code HU 721 X KIT VT/VTO-Serie / GEARTRONIC-I-Shift / Powertronic) |
| | | | | | | | Hydraulic Transmission filter (Gearbox code WH 980/3 Powertronic) |
| | | | | | | | Urea Filter (Prefilter) U 1005 |
| | | | | | | | Urea Filter U 630 X KIT |
| | | | | | | | Coolant Filter WA 940/9 |
| FH13 (2009->) | D13C | Primary C 33 1460/1 | W 11 025 | WDK 11 102/28 | CU 2184 | Air-Brake Sytem Haldex TB 15 001 Z KIT | Hydraulic steering Filter H 601/4 |
| | | Secondary CF 1940 | WP 11 102/3 | Long life version WDK 11 102/24 | Activated carbon CUK 2184 | | Hydraulic steering Filter H 623 |
| | | | | Water-separator WK 10 006 z | Biofunctional filter FP 2184 | | Hydraulic Transmission filter (Gearbox code HU 721 X KIT VT/VTO-Serie) |
| | | | | Water-separator WK 11 001 x | | | Hydraulic Transmission filter (Gearbox code HU 721 Y I-Shift) |
| | | | | Fuel tank (opt.) C 52/1 | | | Hydraulic Transmission filter (Gearbox code HU 721 W KIT I-Shift 2) |
| | | | | | | | Hydraulic Transmission filter (Gearbox code WH 980/3 Powertronic) |
| | | | | | | | Urea Filter (Prefilter) U 1005 |
| | | | | | | | Urea Filter for AdBlue Denoxtronic 2 U 630 X KIT |
| | | | | | | | Urea Filter for AdBlue Denoxtronic 2.2 U 5001 KIT |
| | | | | | Coolant Filter WA 940/9 | | |
| FH13 (2013->) New Trucks | D13C (EURO 6) | Primary C 33 1460/1 | W 11 025 | Long life version WDK 11 102/24 | Pre-Filter CU 27 003 | | Hydraulic steering Filter H 601/4 |
| | | Secondary CF 1940 | WP 11 102/3 | Water-separator WK 10 006 z | CU 31 001 | | Hydraulic steering Filter H 623 |
| | | | | Water- separator Engine code D13C-500 E5 (Euro 5) WK 11 001 x | Activated carbon CUK 31 001 | | Hydraulic Transmission filter (Gearbox code HU 721 X KIT VT/VTO-Serie) |
| | | | | Water- separator Engine code D13K-500 E6 (Euro 6) WK 11 019 z | Biofunctional filter FP 31 001 | | Hydraulic Transmission filter (Gearbox code HU 721 W KIT I-Shift) |
| | | | | | | | Hydraulic Transmission filter (Gearbox code WH 980/3 Powertronic) |
| | | | | | | | Urea Filter U 5001 KIT |
| | | | | | | | Coolant Filter WA 940/9 |

| Model | Engine | Air | Oil | Fuel | Cabin | Air Dryer | Others |
|----------------------------|--------|---------------------|-------------|--|------------------------------|---|--|
| FH16 (<2003) | D16A/B | Primary C 36 1820 | W 11 102/36 | WK 723/6 | CU 2184 | Air-Brake Sytem Wabco TB 1394/16 X | Hydraulic steering Filter, use for OE 349619 H 601/4 |
| | | Secondary CF 2000/1 | W 11 025 | Fuel filter for park heating WK 3002 | Activated carbon CUK 2184 | Gradual drying+optim. Oil separation for best protection. Air-Brake Sytem Wabco TB 1396 X | Hydraulic steering Filter, use for OE 1585618 H 615 |
| | | | WP 11 102/3 | | Biofunctional filter FP 2184 | Air-Brake Sytem Haldex TB 15 001 Z KIT | Hydraulic Transmission filter (Manual gearbox) W 719/4 |
| | | | | | | | Hydraulic Transmission filter (Manual gearbox) W 917 |
| | | | | | | | Hydraulic Transmission filter (Gearbox code Geartronic + I-Shift) HU 721 Z KIT |
| | | | | | | | Hydraulic Transmission filter (Gearbox code VT/VTO-Serie) HU 721 X KIT |
| | | | | | | | Coolant Filter WA 940/9 |
| FH16 (2003>) | D16C/E | Primary C 33 1630/2 | W 11 025 | WDK 11 102/28 | CU 2184 | Air-Brake Sytem Wabco TB 1394/16 X | Hydraulic steering Filter, use for OE 349619 H 601/4 |
| | | Secondary CF 3300 | WP 11 102/3 | Long life version WDK 11 102/24 | Activated carbon CUK 2184 | Gradual drying+optim. Oil separation for best protection. Air-Brake Sytem Wabco TB 1396 X | Hydraulic steering Filter, use for OE 1585618 H 615 |
| | | | | Water-separator short version WK 940/33 x | Biofunctional filter FP 2184 | Air-Brake Sytem Haldex TB 15 001 Z KIT | Hydraulic Transmission filter (Gearbox code Geartronic + I-Shift) HU 721 Z KIT |
| | | | | Water-separator long version WK 11 003 z | | | Hydraulic Transmission filter (Gearbox code I-Shift) HU 721 Y |
| | | | | | | | Hydraulic Transmission filter (Gearbox code VT/VTO-Serie) HU 721 X KIT |
| | | | | | | | Hydraulic Transmission filter (Manual gearbox), diameter 76 mm W 719/4 |
| | | | | | | | Hydraulic Transmission filter (Manual gearbox), diameter 96 mm W 917 |
| | | | | | | | Urea Filter (Prefilter) U 1005 |
| | | | | | | | Urea Filter for AdBlue Denoxtronic 2 U 630 X KIT |
| | | | | | | | Coolant Filter WA 940/9 |
| FH16 (2013>) New Trucks | D16G | Primary C 33 1630/2 | W 11 025 | Long life version WDK 11 102/24 | CU 2184 | Gradual drying+optim. Oil separation for best protection. Air-Brake Sytem Wabco TB 1396 X | Hydraulic steering Filter, use for OE 349619 H 601/4 |
| | | Secondary CF 3300 | WP 11 102/3 | Water-separator short version WK 940/33 x | Activated carbon CUK 2184 | Air-Brake Sytem Haldex TB 15 001 Z KIT | Hydraulic steering Filter, use for OE 1585618 H 615 |
| | | | | Water-separator long version WK 11 003 z | Biofunctional filter FP 2184 | | Hydraulic Transmission filter (Gearbox code I-Shift) HU 721 Y |
| | | | | | | | Hydraulic Transmission filter (Gearbox code VT/VTO-Serie) HU 721 X KIT |
| | | | | | | | Hydraulic Transmission filter (Manual gearbox), diameter 76 mm W 719/4 |
| | | | | | | | Hydraulic Transmission filter (Manual gearbox), diameter 96 mm W 917 |
| | | | | | | | Urea Filter (Prefilter) U 1005 |
| | | | | | | | Urea Filter for AdBlue Denoxtronic 2 U 630 X KIT |
| | | | | | | | Urea Filter for AdBlue Denoxtronic 2.2 U 5001 KIT |
| | | | | | | | Coolant Filter WA 940/9 |
| FL I (2000-2006) | D6A/B | Primary CP 27 001 | W 11 102/36 | WK 962/7 | CU 3466 | Air-Brake Sytem Haldex TB 15 001 Z KIT | |
| | | | WP 11 102/3 | Water-separator, use for OE 20386080 WK 940/33 x | | | |
| | | | | Water-separator, use for OE 20386081 WK 940/38 x | | | |

| Model | Engine | Air | Oil | Fuel | Cabin | Air Dryer | Others |
|-------------------|----------|----------------------------------|----------------------------|---|------------------------------|---|--|
| FL II (2006->) | D7E/F | Primary, 373 mm height C 25 003 | HU 1390 x | Fuel element PU 1058 x | CU 2101 | Air-Brake Sytem Knorr EAC 1 and EAC 2 TB 1394/17 X | Urea Filter (Prefilter) U 1005 |
| | | Primary, 461 mm height C 31 1410 | | Water-separator WK 1040/1 x | | Gradual drying+optim. Oil separation for best protection. Air-Brake Sytem Knorr EAC 1 and EAC 2 TB 1396/5 X | Urea Filter U 630 X KIT |
| | | Secondary CF 1800 | | Fuel tank (opt.) C 52/1 | | | |
| FL10 (1995-1998) | D10A | Primary C 26 1220 | W 11 102/36 | WK 723/6 | CU 2785 | Air-Brake Sytem Wabco TB 1394/16 X | Hydraulic steering H 601/4 |
| | | Primary C 16 167 | Long-life version W 11 025 | | | Gradual drying+optim. Oil separation for best protection. Air-Brake Sytem Wabco TB 1396 X | Hydraulic steering P 919/7 |
| | | | WP 11 102/3 | | | | Hydraulic Transmission filter (Manual gearbox), diameter 96 mm W 917 |
| | | | | | | | Coolant Filter WA 940/9 |
| FL12 (1995-1998) | D12A | Primary C 27 1581 | W 11 102/36 | WK 962/7 | CU 2785 | Air-Brake Sytem Wabco TB 1394/16 X | Hydraulic steering H 601/4 |
| | | Secondary CF 1500/1 | Long-life version W 11 025 | | | Gradual drying+optim. Oil separation for best protection. Air-Brake Sytem Wabco TB 1396 X | Coolant Filter WA 940/9 |
| | | | WP 11 102/3 | | | | |
| | | | | | | | |
| FM9 (2001-2005) | D9A | Primary C 31 1345/1 | W 11 102/36 | WDK 11 102/28 | CU 2184 | Air-Brake Sytem Haldex TB 15 001 Z KIT | Hydraulic Transmission filter (Gearbox code I-Shift) HU 721 Z KIT |
| | | Secondary CF 1510/1 | Long-life version W 11 025 | Long-life version WDK 11 102/24 | Activated carbon CUK 2184 | | Hydraulic Transmission filter (Gearbox code VT/VTO-Serie) HU 721 X KIT |
| | | | WP 11 102/3 | Water-separator short version WK 1020 x | Biofunctional filter FP 2184 | | Hydraulic Transmission Filter WH 980/3 |
| | | | | Water-separator long version WK 1060/5 x | | | Coolant Filter WA 940/9 |
| | | | | | | | |
| FM7 (>2002) | D7A/C | Primary C 31 1345/1 | W 11 102/36 | WK 962/7 | CU 2184 | | Hydraulic steering, height 101 mm H 601/4 |
| | | Secondary CF 1510/1 | Long-life version W 11 025 | Water-separator, for sytem Parker-Racor WK 1060/3 x | Activated carbon CUK 2184 | | Hydraulic Transmission filter (Gearbox code Geartronic) HU 721 Z KIT |
| | | | WP 11 102/3 | | Biofunctional filter FP 2184 | | Hydraulic Transmission Filter (Gearbox code Powertronic) WH 980/3 |
| | | | | | | | Coolant Filter WA 940/9 |
| FM / FMX (2005->) | D13A/B/C | Primary C 34 1500/1 | Long-life version W 11 025 | WDK 11 102/28 | CU 2184 | Air-Brake Sytem Haldex TB 15 001 Z KIT | Hydraulic steering H 601/4 |
| | | Secondary CF 2000/1 | WP 11 102/3 | Long life version WDK 11 102/24 | Activated carbon CUK 2184 | | Hydraulic steering, height 150 mm H 623 |
| | | | | Water-separator, short version WK 940/33 x | Biofunctional filter FP 2184 | | Hydraulic Transmission filter (Gearbox code I-Shift), ->08/07 HU 721 Z KIT |
| | | | | Water-separator WK 10 006 z | | | Hydraulic Transmission filter (Gearbox code I-Shift), 09/07-> HU 721 Y |
| | | | | Water-separator, Long version WK 11 001 x | | | Hydraulic Transmission filter (Gearbox code VT/VTO-Serie) HU 721 X KIT |
| | | | | Filter for park heating WK 3002 | | | Hydraulic Transmission Filter (Gearbox code Powertronic) WH 980/3 |
| | | | | | | | Urea Filter (Prefilter), for AdBlue Denoxtronic 2.0 U 1005 |
| | | | | | | | Urea Filter for AdBlue Denoxtronic 2.2 U 5001 KIT |
| | | | | | | | Urea Filter for AdBlue Denoxtronic 2.0 U 630 X KIT |
| | | | | | Coolant Filter WA 940/9 | | |

| Model | Engine | Air | Oil | Fuel | Cabin | Air Dryer | Others |
|------------------------|------------------------|---------------------|---|--|--------------------------------|--|--|
| FM / FMX (2005>) | D11C/ D9B | Primary C 31 1345/1 | Long-life version W 11 025 | WDK 11 102/28 | CU 2184 | Air-Brake Sytem Haldex TB 15 001 Z KIT | Hydraulic steering H 601/4 |
| | | Secondary CF 1510/1 | WP 11 102/3 | Long-life version WDK 11 102/24 | Activated carbon CUK 2184 | | Hydraulic steering, height 150 mm H 623 |
| | | | W 11 102/36 | Water-separator, shorth version 141 mm WK 940/33 x | Biofunctional filter FP 2184 | | Hydraulic Transmission filter (Gearbox code I-Shift) HU 721 Y |
| | | | | Water-separator, shorth version 130 mm WK 10 006 z | | | Hydraulic Transmission filter (Gearbox code VT/ATO-Serie) HU 721 X KIT |
| | | | | Water-separator, long version 158mm WK 11 001 x | | | Hydraulic Transmission Filter (Gearbox code Powertronic) WH 980/3 |
| | | | | Filter for park heating WK 3002 | | | Urea Filter (Prefilter), for AdBlue Denoxtronic 2.0 U 1005 |
| | | | | | | | Urea Filter for AdBlue Denoxtronic 2.2 U 5001 KIT |
| | | | | | | | Urea Filter for AdBlue Denoxtronic 2.0 U 630 X KIT |
| | | | | | | | Coolant Filter WA 940/9 |
| FM / FMX II (2013>) | D11K/ D13K EURO6 | Primary C 33 013 | Long-life version W 11 025 | Long-life version WK 11 051 | CU 31 001 | Air-Brake Sytem Knorr EAC 2 TB 1394/17 X | Hydraulic steering H 601/4 |
| | | | WP 11 102/3 | Extra long-life version WK 11 052 | Activated carbon CUK 31 001 | Gradual drying+optim. Oil separation for best protection. TB 1396/5 X Air-Brake Sytem Knorr EAC 2 | Hydraulic steering, height 150 mm H 623 |
| | | | Long-life version, change interval: 150,000 KM W 11 020 | Water-separator WK 11 019 Z | Biofunctional filter FP 31 001 | | Hydraulic Transmission filter (Gearbox code I-Shift 2) HU 721 W KIT |
| | | | Long-life version, change interval: 100,000 KM W 11 020/1 | Water-separator, long-life version WK 11 022 Z | Prefilter CU 27 003 | | Urea Filter for AdBlue Denoxtronic 2.2 U 5001 KIT |
| | | | | | | | Coolant Filter WA 940/9 |

Cross Reference

| FLEETGUARD | MANN-FILTER | FLEETGUARD | MANN-FILTER | FLEETGUARD | MANN-FILTER |
|------------|--------------|------------|-------------|------------|--------------|
| AD27746 | TB 1394/6 x | AF25695 | CU 3869 | AF27708 | C 30 1240/1 |
| AD27746 | TB1394/6 x | AF25704 | C 25 950/1 | AF27711 | C 30 1500/1 |
| AD27747 | TB 1394/1 x | AF25731 | C 64 1500/1 | AF27817 | TB 1374 x |
| AD27747 | TB 1394/16 X | AF25756 | C 29 1420/2 | AF27853 | TB 1364 x |
| AD27747 | TB 1396 X | AF25829 | CU 1722 | AF27857 | C 27 1340 |
| AD27747 | TB1394/1 x | AF25840 | CU 3132 | AF27876 | CP 34 360 |
| AD27747 | TB1394/16 x | AF25840 | FP 3132 | AF27878 | C 26 025 |
| AD27748 | TB 1394/17 X | AF25872 | C 22 478/1 | AF27940 | C 31 014 |
| AD27748 | TB 1396/5 X | AF25873 | C 22 580/1 | AF27940 | C 31 016 |
| AD27749 | TB 1394/3 x | AF25875 | C 25 660/2 | AF27970 | C 33 1460/1 |
| AD27749 | TB 1396/3 x | AF25876 | C 25 860/6 | AF27972 | C 27 998/5 |
| AD27750 | TB 1374/13 x | AF25894 | C 27 023 | AF27995 | CF 17 007 |
| AD27754 | TB 719 | AF25894 | C 27 1250/1 | AF4187 | CF 1940 |
| AD27755 | TB 1394/8 x | AF25895 | C 77/7 | AF4247 | C 26 024 KIT |
| AD27756 | TB 1396 x | AF25896 | CF 1640 | AF4249 | C 50 005 |
| AF04322 | CF 16 002 | AF25898 | C 25 003 | AF4250 | C 50 004/1 |
| AF1001 | C 31 017 | AF25956 | CU 3858 | AF4265 | CP 27 001 |
| AF1001 | C 31 018 | AF25969 | CF 1720 | AF4320 | C 27 038 |
| AF1670 | CF 2000/1 | AF25972 | CU 4466 | AF4321 | C 27 038/1 |
| AF1802 | C 30 850/6 | AF25975 | C 27 1170/6 | AF4338 | C 62 001 |
| AF25022 | C 33 1840 | AF25976 | C 27 998/3 | AF4398 | C 40 002 |
| AF25084 | CF 1500/1 | AF26139 | CU 4228 | AF4481 | C 49 002 |
| AF25154 | C 32 004 | AF26143 | CU 4795 | AF4503 | C 30 850/2 |
| AF25162 | C 25 860/8 | AF26144 | CU 5877 | AF4558 | C 16 167 |
| AF25235 | C 33 1600/2 | AF26145 | CU 2534 | AF4942 | C 27 1581 |
| AF25239 | C 36 1820 | AF26146 | CU 4594 | AF55702 | CUK 3823 |
| AF25264 | C 30 1353 | AF26162 | CF 1510/1 | AF55709 | CU 2218 |
| AF25292 | C 17 337/2 | AF26163M | C 33 1630/2 | AF55709 | CU 2218 |
| AF25294 | C 26 1220 | AF26165 | C 40 006 | AF55713 | CU 2952 |
| AF25306 | C 32 338 | AF26174 | CU 4469 | AF55713 | FP 2952 |
| AF25313 | C 30 1500 | AF26199 | C 24 745/3 | AF55714 | CUK 4594 |
| AF25314 | C 30 1240 | AF26204 | C 33 1465/1 | AF55714 | FP 4594 |
| AF25319 | C 32 338/1 | AF26212 | CF 3300 | AF55719 | CUK 4795 |
| AF25333 | C 31 1410 | AF26213 | CU 2956 | AF55719 | FP 4795 |
| AF25382 | C 32 1752/1 | AF26231 | CU 37 230 | AF55722 | CU 3855 |
| AF25427 | C 42 1729 | AF26241 | C 32 1420/2 | AF55723 | CU 5809 |
| AF25428 | C 42 1404 | AF26242 | C 27 1320/3 | AF55729 | CUK 3858 |
| AF25439 | CF 18 202 | AF26245 | CF 2100/1 | AF55759 | CUK 32 001 |
| AF25476 | C 29 1219/1 | AF26246 | C 27 1170 | AF55759 | FP 32 001 |
| AF25496 | C 25 730/1 | AF26261 | C 24 745/2 | AF55760 | CU 32 002 |
| AF25614 | C 31 1254 | AF26262 | C 23 513/1 | AF55765 | CU 32 001 |
| AF25615 | C 17 170 | AF26279 | C 33 920/5 | AF55841 | CUK 33 001 |
| AF25623 | C 29 1366/1 | AF26325 | C 30 850/7 | AF55864 | CUK 4469 |
| AF25627 | C 31 1495 | AF26327 | C 26 1005 | AF55873 | CUK 5877 |
| AF25630 | CU 40 110 | AF26463 | CU 2303 | AF55886 | CU 22 017 |
| AF25631 | C 31 1345/1 | AF26670 | CUK 2534 | AF56009 | CUK 26 018 |
| AF25632 | C 34 1500/1 | AF27689 | C 28 028 | AF56030 | CUK 2952 |
| AF25634 | CF 1800 | AF27692 | CU 37 001 | AF56076 | CU 4408 |
| AF25653 | C 29 010 | AF27692 | CUK 37 001 | AF56109 | CU 16 003-2 |
| AF25653 | C 29 010 KIT | AF27692 | FP 37 001 | AS2474 | C 811 |

Cross Reference

| FLEETGUARD | MANN-FILTER | FLEETGUARD | MANN-FILTER | FLEETGUARD | MANN-FILTER |
|------------|---------------|------------|---------------|------------|---------------|
| AS2495 | C 911 x-2 | FF73100 | PU 51 z | LF16042 | HU 1270 x |
| CS41001 | ZR 903 x | FK11000 | PU 8010/1-2 x | LF16046 | HU 12 110 x |
| CS41008 | ZR 905 z | FK13923 | PU 12 001-2 z | LF16172 | W 950/36 |
| CS41047 | ZR 9007 | FK13924 | PU 12 002-2 z | LF16232 | HU 1297 x |
| CV50842 | C 27 016 | FK48003 | PU 11 005-3 z | LF16233 | HU 12 103 x |
| E3547 | PL 420 x | FS1067 | WK 10 017 x | LF17056 | HU 13 125/3 x |
| FF254 | WDK 11 102/24 | FS1081 | PU 89 | LF17472 | W 940/69 |
| FF271 | PU 9002/1 z | FS1082 | PU 88 | LF17486 | HU 1077/2 x |
| FF4013 | WK 723/6 | FS1083 | PU 910 | LF17497 | W 914/28 |
| FF42128NN | WK 11 052 | FS1254 | WK 950/6 | LF17511 | HU 12 001 Z |
| FF5060 | WDK 725 | FS19532 | WK 1060/3 x | LF17527 | HU 11 003 y |
| FF5272 | WK 962/7 | FS19584 | WK 9047 | LF17529 | HU 1291/1 z |
| FF5284 | WK 724 | FS19605 | PU 911 | LF17534 | HU 12 003 x |
| FF5298 | WDK 940/5 | FS19689 | WK 9010 | LF17536 | HU 9007 z |
| FF5366 | WDK 925 | FS19734 | WK 1020 x | LF17546 | HU 11 002 x |
| FF5380 | PU 1046/1 x | FS19735 | WK 940/33 x | LF17547 | HU 12 008 x |
| FF5405 | PU 999/1 x | FS19737 | WK 1080/6 x | LF17548 | HU 12 006 z |
| FF5421 | WK 929 x | FS19737 | WK 11 016 z | LF3482 | WP 1169 |
| FF5423 | PU 941 x | FS19778 | WK 940/38 x | LF3490 | W 719/4 |
| FF5457 | WDK 962/16 | FS19781 | WK 854/2 | LF3506 | W 1160 |
| FF5463 | PU 941/1 x | FS19821 | WK 950/19 | LF3625 | W 962/8 |
| FF5471 | WDK 940/7 | FS19895 | WK 1040/1 x | LF3730 | W 11 102/37 |
| FF5471 | WK 1149 | FS19914 | WK 1080/7 x | LF3736 | W 917 |
| FF5481 | PU 855 x | FS19918 | WK 10 006 z | LF3737 | W 13 145/6 |
| FF5485 | WK 950/21 | FS19920 | WK 11 001 x | LF3754 | HU 947/2 x |
| FF5507 | WDK 11 102/28 | FS19948 | WK 939/14 x | LF3769 | HU 951 x |
| FF5510 | PU 999/2 x | FS19950 | WK 1070 x | LF3827 | HU 931/5 x |
| FF5619 | WK 842/13 | FS20053 | WK 11 003 z | LF3829 | HU 12 140 x |
| FF5619 | WK 842/17 | FS20071 | PL 420/7 x | LF3867 | HU 1381 x |
| FF5625 | WK 842/20 | FS20082 | WK 11 019 z | LF3895 | HU 1072 x |
| FF5627 | PU 850 x | FS20110 | WK 1060/5 x | LF3914 | HU 945/2 x |
| FF5629 | PU 1059 x | FS20112 | WK 11 038 z | LF3940 | W 940/62 |
| FF5635 | PU 966/2 x | FS20132 | WK 11 022 Z | LF3977 | W 1170/7 |
| FF5658 | PU 10 016-2 z | FS20147 | WK 11 029 z | LF3997 | HU 718/1 k |
| FF5695 | PU 966/1 x | HF28917 | H 929/3 | LF4008 | HU 9003 z |
| FF5698 | WK 842/23 x | HF28917 | H 929/3 y | LF500 | PFU 19 226 x |
| FF5769 | PU 1058 x | HF28937 | HD 932-2 x | MK13164 | PU 10 003-2 x |
| FF5775 | PU 51 x | HF28940 | WH 980/3 | TF15074 | H 182 KIT |
| FF5790 | WK 9056 | HF29040 | HU 721 W KIT | UF101 | U 5001 KIT |
| FF5820 | C 5001 | HF35074 | HU 721 X KIT | UF102 | U 1003 |
| FF5820 | C 52/1 | HF35074 | HU 721 Z KIT | UF103 | U 620/4 y KIT |
| FF5834 | PU 7004 z | HF35488 | HU 721 Y | UF104 | U 58/1 KIT |
| FF5844 | PU 10 035 z | HF35489 | H 623 | UF106 | U 58/9 KIT |
| FF5847 | PU 834/2 x | HF6161 | P 919/7 | UK175 | U 620/2 y KIT |
| FF5857 | PU 10 020 x | HF6162 | H 601/4 | UK176 | U 630 X KIT |
| FF5858 | PU 10 013 z | HF6278 | H 615 | WF2051 | WA 940/1 |
| FF5863 | PU 10 022 z | HF7535 | W 9023/1 | WF2096 | WA 940/9 |
| FF5878 | WK 11 051 | HF7999 | H 710/1 x | WF2122 | WA 9002 |
| FF5892 | PU 30/1 x | LF16015 | W 950/26 | | |
| FF5956 | PU 9015 z | LF16015 | W 950/39 | | |

Cross Reference

| HENGST | MANN-FILTER | HENGST | MANN-FILTER | HENGST | MANN-FILTER |
|------------|---------------|-------------|--------------|--------------|---------------|
| AS376M | C 27 016 | E1515L | CP 34 360 | E34HD97 | HU 1270 x |
| D28E160H01 | HU 931/5 x | E1516L | C 40 002 | E361HD312 | HU 12 003 x |
| D28E161H | HU 947/2 x | E1572L | C 27 038 | E361L | C 29 010 KIT |
| D28E161H01 | HU 945/2 x | E1573L | C 27 038/1 | E366L | C 29 1366/1 |
| D35E17237 | HU 951 x | E1573LS | CF 16 002 | E3930LI | CU 32 002 |
| D36E500KP | PU 999/1 x | E1710LS | CF 17 006 | E3930LI01 | CU 32 012/1 |
| D37E500H | HU 12 140 x | E175HD68 | HU 12 110 x | E3943LI | CU 22 017 |
| E0530K01 | PU 89 | E181HD252 | HU 9003 z | E39H | H 710/1 x |
| E0530K02 | PU 88 | E184HD252 | HU 9007 z | E416KPD36 | PU 1058 x |
| E1008L | C 25 003 | E1908LC | CUK 4594 | E41H | H 929/3 |
| E100UD160 | U 630 X KIT | E1908LC | FP 4594 | E41HD237 | H 929/3 y |
| E1013L | C 30 1240/1 | E1908LI | CU 4594 | E420L | C 34 1500/1 |
| E1013L | C 31 014 | E1934LC | CUK 2956 | E420LS | CF 2000/1 |
| E1013L | C 31 016 | E1945LI | CU 4408 | E422HD86 | HU 13 125/3 x |
| E1013LS | CF 17 007 | E1958LI | CU 2218 | E422KP03D98 | PU 10 035 z |
| E1016L | C 27 1340 | E1958LI | CU 2218 | E422KP04D322 | PU 10 022 z |
| E1018H | H 601/4 | E213HD300 | HU 12 008 x | E422KPD98 | PU 1059 x |
| E101UD178 | U 620/2 y KIT | E21HD74 | HU 1072 x | E423KP | PU 9002/1 z |
| E101UD178 | U 620/3 y KIT | E222L | C 27 1581 | E424L | C 31 1254 |
| E101UD178 | U 620/4 y KIT | E222LS | CF 1500/1 | E428L | C 27 1250/1 |
| E1024L | C 33 1460/1 | E22SF03 | PU 50 z | E428L01 | C 27 023 |
| E1024LS | CF 1940 | E237L | C 30 1353 | E428LS | CF 1640 |
| E1028L | C 29 010 | E237LS | C 17 170 | E429KPD2433 | PU 11 005-3 z |
| E102UD179 | U 58/1 KIT | E23SF03D65 | P 54 x | E433L | C 33 1465/1 |
| E1030K | PU 911 | E240L | C 32 338 | E433LS | CF 2100/1 |
| E1030K01 | PU 910 | E240L01 | C 32 338/1 | E434L | C 17 337/2 |
| E1033L | C 31 017 | E270L | C 33 1600/2 | E438KPD267 | PU 7004 z |
| E1033L | C 31 018 | E272L | C 33 1840 | E43HD97 | HU 1297 x |
| E1033LS | CF 1720 | E2853LB | CUK 2952 | E440KPD2692 | PU 12 001-2 z |
| E103KPD197 | PU 10 003-2 x | E28H | HU 721 X KIT | E442KPD319 | PU 834/2 x |
| E103UD295 | U 5001 KIT | E28H | HU 721 Z KIT | E443KPD2942 | PU 8010/1-2 x |
| E104U D350 | U 58/9 KIT | E28HD203 | HU 721 Y | E445KPD3142 | PU 12 002-2 z |
| E1059L | C 50 004/1 | E28HD289 | HU 721 W KIT | E448KPD327 | PU 9015 z |
| E105U | U 1003 | E290L | C 30 1500 | E450L | C 31 1495 |
| E1060L | C 50 005 | E2927LI | CU 2303 | E451L | C 30 1240 |
| E1084L | C 26 024 KIT | E2953LI | CU 2952 | E452L | C 31 1410 |
| E11014 | P 919/7 | E2953LI | FP 2952 | E452LS | CF 1800 |
| E1103L | C 49 002 | E2960LI | CU 37 001 | E454L | C 32 1752/1 |
| E1150L | C 32 004 | E2960LI | CUK 37 001 | E454LS | CF 18 202 |
| E1162L | C 62 001 | E2960LI | FP 37 001 | E483L | C 25 950/1 |
| E118L | C 30 850/2 | E297L | C 42 1404 | E491L | C 27 1170 |
| E118L | C 30 850/7 | E2986LB01 | FP 32 001 | E4947LC | CUK 33 001 |
| E118L05 | C 30 850/6 | E2986LC | CUK 32 001 | E4951LC | CUK 26 018 |
| E119L74 | C 33 920/5 | E2986LC01 | CUK 32 011/1 | E496L | C 31 1345/1 |
| E11HD57 | HU 718/1 k | E2986LI | CU 32 001 | E496LS | CF 1510/1 |
| E11S03D30 | PU 51 x | E2986LI01 | CU 32 011/1 | E497L | C 40 006 |
| E11S04D65 | PU 51 z | E307L | C 25 730/1 | E498L | C 22 478/1 |
| E123HD194 | HU 1077/2 x | E311H01D273 | HU 11 002 x | E510H04D129 | HU 12 001 Z |
| E125KPD302 | PU 10 013 z | E312L | C 42 1729 | E528L | C 33 013 |
| E128KPD302 | PU 10 020 x | E314L | C 29 1219/1 | E52KP D36 | PU 1046/1 x |
| E12S | PU 30/1 x | E315L | C 64 1500/1 | E541L | C 27 1170/6 |
| E13HD47 | HU 1381 x | E317L | C 36 1820 | E542L | C 27 998/3 |

Cross Reference

| HENGST | MANN-FILTER | HENGST | MANN-FILTER | HENGST | MANN-FILTER |
|-----------|--------------|------------|---------------|----------------|-----------------|
| E542L01 | C 27 998/5 | E954LI | CU 4795 | H392WK | WK 11 019 z |
| E562L | C 26 1220 | E956LI | CU 1722 | H398WK | WK 11 029 z |
| E56KP D72 | PU 850 x | E969LC | CUK 2534 | H414WK | WK 929 x |
| E56KPD72 | PU 855 x | E969LI | CU 2534 | H414WKD421 | WK 9056 |
| E57KPD73 | PU 941 x | E980LC | CUK 4469 | H41WF | WA 9002 |
| E594L | C 25 860/8 | E980LI | CU 4469 | H421WK | WK 11 051 |
| E595L | C 25 860/6 | E982LI | CU 3855 | H460WK | WK 11 022 Z |
| E602L | C 77/7 | EAS1M | C 18 016 | H60WK03 | WK 723/6 |
| E603L | C 27 1320/3 | EAS304M | C 911 x-2 | H700WK | WK 940/33 x |
| E633L | C 25 660/2 | EAS500MD38 | C 716 x | H701WK | WK 1080/7 x |
| E63HD130 | H 613 x | EAS906M | LC 9005 | H701WK | WK 11 016 z |
| E661L | C 23 513/1 | EY1039H | H 615 | H7045WK30 | WK 1020 x |
| E66KPD36 | PU 999/2 x | H100WU | C 811 | H7062WK30 | WK 1040/1 x |
| E681L | C 32 1420/2 | H101WL | C 52/1 | H7090WK10 | WK 1060/5 x |
| E681LS | CF 1810/1 | H10W06 | W 917 | H7090WK30 | WK 1060/3 x |
| E68KPD73 | PU 941/1 x | H12W08 | W 914/28 | H7091WK10 | WK 1070 x |
| E6901LI-2 | CU 16 003-2 | H14W02 | W 719/4 | H7091WK20 D677 | WK 11 038 z |
| E706L | C 24 745/2 | H152WK | WK 1149 | H7091WK30D199 | WK 11 001 x |
| E70H | H 623 | H160WK | WK 854/2 | H7091WK30D199 | WK 11 003 z |
| E70KPD98 | PU 966/2 x | H17W24 | W 940/62 | H70WK06 | WDK 725 |
| E713L | C 24 745/3 | H17W29 | W 940/69 | H70WK09 | WK 950/6 |
| E765L | C 26 025 | H17WK03 | WDK 940/5 | H70WK10 | WK 724 |
| E767L | C 33 1630/2 | H18W01 | W 962/8 | H70WK11 | WK 842/13 |
| E767LS | CF 3300 | H18W11 | WH 980/3 | H70WK18 | WK 842/17 |
| E794L | C 28 028 | H18WDK01 | WDK 962/16 | H710WK | PL 420 x |
| E811L | C 26 1005 | H18WDK03 | WDK 925 | H7160WK30 | WK 1080/6 x |
| E824HD264 | HU 12 006 z | H18WK03 | WK 962/7 | H7160WK30 | WK 11 023 z |
| E82KPD73 | PU 966/1 x | H190WK | WK 9047 | H824WKD718 | PL 603/1 x |
| E830HD253 | HU 11 003 y | H191WK | WK 950/21 | T200W | TB 1364 x |
| E831HD275 | HU 1291/1 z | H19W10 | W 950/26 | T250W | TB 1374 x |
| E842L | C 22 580/1 | H19W10 | W 950/39 | T250W | TB 1374/13 x |
| E844L | C 29 1420/2 | H19W12 | W 950/36 | T260W | TB 1394/6 x |
| E87H | H 182 KIT | H200W02 | W 11 102/37 | T260W | TB 1396/6 x |
| E89HD97 | HU 12 103 x | H200WDK | WDK 11 102/28 | T260W | TB1394/6 x |
| E904HD437 | HU 12 013 z | H200WDK01 | WDK 11 102/24 | T280W | TB 1394/1 x |
| E906LI | CU 40 110 | H201WDK | WDK 940/7 | T280W | TB1394/1 x |
| E912LC | CUK 3858 | H210W01 | W 1160 | T280WV | TB 1394/16 X |
| E912LI | CU 3858 | H215WK | WK 950/19 | T290W | TB 1394/17 X |
| E91540K | PFU 19 226 x | H216WK | WK 842/20 | T290W | TB 1396/5 X |
| E931LC | CUK 3823 | H220WN | WP 1169 | T350W | TB 15 001 Z KIT |
| E931LI | CU 3869 | H230W | W 1170/7 | T360W | TB 1394/3 x |
| E933LC | CUK 5877 | H24W05 | W 9023/1 | T360W | TB 1396/3 x |
| E933LI | CU 5877 | H278WK | WK 842/23 x | T380W | TB 1394/8 x |
| E933LI01 | CU 5809 | H28WF | WA 940/9 | T400W | TB 1394/13 x |
| E934LI | CU 2956 | H296WK | WK 9010 | Z12D64 | ZR 903 x |
| E938LI | CU 4466 | H300W02 | W 13 145/6 | Z16D183 | ZR 905 z |
| E944LI | CU 3132 | H30WF | WA 940/1 | Z830FD253 | ZR 9007 |
| E944LI | FP 3132 | H311W | W 13 004 | | |
| E945LI | CU 4228 | H311WK | WK 939/14 x | | |
| E949LI | CU 37 230 | H356WK | PL 420/7 x | | |
| E954LC | CUK 4795 | H375WK | WK 10 017 x | | |
| E954LC | FP 4795 | H392WK | WK 10 006 z | | |

Cross Reference

| DONALDSON | MANN-FILTER | DONALDSON | MANN-FILTER | DONALDSON | MANN-FILTER |
|-----------|---------------|-----------|---------------|-----------|---------------|
| CFP554744 | WA 940/1 | P550633 | HU 721 Y | P559628 | WK 940/33 x |
| D958225 | C 33 013 | P550633 | HU 721 Z KIT | P559646 | HU 12 001 Z |
| DBA3745 | C 50 005 | P550639 | W 1170/7 | P559646 | PU 11 005-3 z |
| DBA3746 | C 50 004/1 | P550653 | PU 941/1 x | P560971 | HD 932-2 x |
| DBC4785 | WA 9002 | P550661 | HU 1297 x | P566130 | C 77/7 |
| DBF5967 | WK 11 052 | P550663 | ZR 903 x | P579486 | WK 11 051 |
| P 55-0627 | PU 850 x | P550665 | WK 950/6 | P579940 | PU 10 020 x |
| P 55-0627 | PU 855 x | P550744 | H 613 x | P605551 | C 33 1630/2 |
| P163555 | WH 980/3 | P550746 | WK 1020 x | P605552 | CF 3300 |
| P500174 | CF 1510/1 | P550761 | HU 945/2 x | P607248 | CF 2000/1 |
| P502392 | PU 911 | P550762 | PU 999/1 x | P608666 | CP 34 360 |
| P506078 | PU 7004 z | P550765 | HU 1381 x | P612826 | C 32 338 |
| P537876 | C 29 1420/2 | P550768 | HU 931/5 x | P641931 | C 27 038 |
| P550095 | W 917 | P550769 | HU 12 110 x | P641932 | C 27 038/1 |
| P550220 | H 929/3 | P550778 | PL 420 x | P753338 | CU 37 001 |
| P550309 | H 601/4 | P550780 | WK 842/20 | P761108 | W 9023/1 |
| P550310 | P 919/7 | P550790 | WK 842/23 x | P762756 | H 710/1 x |
| P550342 | WP 1169 | P550810 | WDK 925 | P763995 | WDK 940/7 |
| P550360 | H 615 | P550812 | HU 12 103 x | P763995 | WK 1149 |
| P550372 | WK 962/7 | P550820 | HU 13 125/3 x | P766162 | W 914/28 |
| P550440 | WK 723/6 | P550822 | H 182 KIT | P771558 | C 30 850/2 |
| P550451 | HU 947/2 x | P550863 | PU 966/1 x | P771558 | C 30 850/6 |
| P550452 | W 13 145/6 | P550880 | WK 929 x | P772580 | C 17 337/2 |
| P550453 | HU 12 140 x | P550881 | WK 950/21 | P777579 | C 30 1353 |
| P550472 | WDK 962/16 | P550903 | WK 854/2 | P777767 | C 27 1581 |
| P550490 | W 11 102/37 | P550904 | WK 950/19 | P777869 | CF 1800 |
| P550494 | WDK 940/5 | P550913 | WK 10 006 z | P778081 | C 33 1600/2 |
| P550498 | WDK 725 | P550945 | W 1160 | P778335 | C 30 1240 |
| P550500 | PFU 19 226 x | P550952 | ZR 905 z | P778336 | C 30 1500 |
| P550520 | W 950/26 | P551026 | PL 420/7 x | P778436 | C 16 167 |
| P550520 | W 950/39 | P551026 | WK 1080/7 x | P778453 | C 17 170 |
| P550529 | WDK 11 102/24 | P551026 | WK 11 016 z | P778485 | C 33 1840 |
| P550529 | WDK 11 102/28 | P551033 | WK 1040/1 x | P778778 | C 36 1820 |
| P550563 | HU 951 x | P551062 | PU 50 z | P780621 | C 32 1752/1 |
| P550564 | HU 718/1 k | P551062 | PU 51 z | P780622 | C 31 1410 |
| P550587 | WK 724 | P551066 | WK 1060/5 x | P780623 | CF 18 202 |
| P550628 | PU 941 x | P551103 | WK 10 017 x | P780815 | C 26 1220 |
| P550629 | HU 1072 x | P551254 | W 719/4 | P780834 | C 42 1729 |
| P550630 | HU 1270 x | P551767 | WK 1060/3 x | P780848 | C 42 1404 |
| P550631 | PU 999/2 x | P552096 | WA 940/9 | P781228 | CF 1720 |
| P550632 | PU 1046/1 x | P553227 | WK 11 038 z | P781349 | C 64 1500/1 |
| P550633 | HU 721 X KIT | P553771 | W 962/8 | P781350 | C 29 1219/1 |

Cross Reference

| DONALDSON | MANN-FILTER | DONALDSON | MANN-FILTER | DONALDSON | MANN-FILTER |
|-----------|--------------|-----------|--------------|-----------|---------------|
| P781465 | C 29 010 KIT | P786421 | C 27 1170 | P954556 | PU 910 |
| P781466 | TB 1374 x | P786611 | CU 1722 | P954588 | W 13 004 |
| P781466 | TB 1374/13 x | P786829 | C 30 850/7 | P954601 | PU 51 x |
| P781495 | C 31 1495 | P787157 | C 33 1465/1 | P954604 | PU 1058 x |
| P781525 | C 29 1366/1 | P787247 | CF 2100/1 | P954605 | H 623 |
| P781682 | CU 40 110 | P787437 | CU 2218 | P954658 | HU 11 002 x |
| P781740 | C 31 1254 | P787450 | CU 4594 | P954827 | CUK 32 001 |
| P782137 | C 25 003 | P788809 | C 26 1005 | P954827 | FP 32 001 |
| P782328 | C 25 950/1 | P788881 | CU 3132 | P954867 | PU 9002/1 z |
| P782396 | C 34 1500/1 | P788881 | FP 3132 | P954868 | C 911 x-2 |
| P782596 | C 25 730/1 | P789247 | CU 4469 | P954869 | C 52/1 |
| P782857 | C 31 1345/1 | P903552 | C 27 016 | P954895 | WK 11 001 x |
| P782880 | C 25 860/6 | P950620 | CU 37 230 | P954921 | HU 721 W KIT |
| P782881 | C 25 660/2 | P950910 | C 24 745/3 | P954925 | WK 1070 x |
| P782936 | C 27 023 | P951102 | C 33 1460/1 | P954933 | C 811 |
| P782936 | C 27 1250/1 | P951411 | TB 1394/6 x | P955607 | WK 1080/6 x |
| P782937 | CF 1640 | P951411 | TB 1396/6 x | P955634 | CUK 4469 |
| P783585 | C 30 1240/1 | P951413 | TB 1394/1 x | P955637 | CU 2303 |
| P783586 | C 30 1500/1 | P951413 | TB 1394/16 X | P955638 | CU 3858 |
| P783870 | C 22 580/1 | P951413 | TB1394/1 x | P955639 | CUK 5877 |
| P783871 | C 22 478/1 | P951415 | TB 1394/17 X | P955640 | CU 5809 |
| P784015 | C 32 338/1 | P951415 | TB 1396/5 X | P955641 | CU 4408 |
| P784457 | C 27 1320/3 | P951417 | TB 1364 x | P955651 | PU 12 001-2 z |
| P784457 | C 27 1340 | P951419 | TB 1394/3 x | P955824 | CU 32 001 |
| P784473 | CU 3869 | P951419 | TB 1396/3 x | P955983 | PU 834/2 x |
| P784479 | CU 2956 | P951742 | CP 27 001 | P956034 | PU 12 002-2 z |
| P784525 | C 27 1170/6 | P951919 | C 26 024 KIT | P956094 | HU 9003 z |
| P784971 | CU 5877 | P952185 | TB 1396 X | P956170 | U 5001 KIT |
| P785001 | C 23 513/1 | P952185 | TB1394/16 x | P956986 | TB 1394/8 x |
| P785002 | C 24 745/2 | P953210 | C 31 017 | P957182 | C 32 004 |
| P785046 | CU 4228 | P953211 | C 31 014 | P957411 | CF 16 002 |
| P785307 | CU 4466 | P953212 | C 31 018 | X770733 | U 620/2 y KIT |
| P785352 | C 32 1420/2 | P953213 | C 31 016 | X770733 | U 620/3 y KIT |
| P785353 | C 27 998/3 | P953214 | CF 17 006 | X770733 | U 620/4 y KIT |
| P785365 | CU 2534 | P953215 | CF 17 007 | X770734 | U 630 X KIT |
| P785366 | CU 3855 | P953237 | C 33 920/5 | X770914 | PU 10 003-2 x |
| P785373 | PU 1059 x | P953329 | HU 1077/2 x | X770914 | PU 10 016-2 z |
| P785542 | C 40 006 | P954411 | C 26 025 | | |
| P785770 | PU 966/2 x | P954476 | CF 1940 | | |
| P786092 | CUK 4795 | P954537 | C 716 x | | |
| P786092 | FP 4795 | P954554 | PU 89 | | |
| P786335 | CU 4795 | P954555 | PU 88 | | |



For more information on our product portfolio, contact MANN+HUMMEL AUSTRALIA at (02) 9621 4700 / mhau-sales@mann-hummel.com



MANN + HUMMEL

MANN-FILTER - Perfect parts. Perfect service.
www.mann-filter.com

 @mannfilteraustralia
 @mannfilter_australia